

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : Mida CHRIOX 15
UFI : 05J2-1H1S-X100-SH59
Product code : 527
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category : Industrial use, Professional use
Use of the substance/mixture : Peracetic acid based disinfectant
Biocide

1.2.2. Uses advised against

Restrictions on use : For professional use only

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44
info@christeyns.be, www.christeyns.com

Distributor

Christeyns UK Ltd.
Rutland Street
GB Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43
info@christeyns.be, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB WA2 8RE Warrington, Cheshire
United Kingdom
T +44 (0)1925 23 46 96
UK-foodinfo@christeyns.com, www.christeyns.com

Distributor

Christeyns Technologies Ireland Ltd
Station Road
F12 YW84 Newtown South Ballindine, Co. Mayo
Ireland
T 00353 94 936 4011
info@gannonchemicals.ie, Gannonchemicals.ie

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcourt Centre, Harcourt Road
IE 2 Dublin
Ireland
T +353 1 8146022

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Organic Peroxides, Type F H242
Corrosive to metals, Category 1 H290
Acute toxicity (oral), Category 4 H302
Acute toxicity (inhalation:dust,mist) Category 4 H332
Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Specific target organ toxicity – Single exposure, Category 3, H335
Respiratory tract irritation

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment – Chronic Hazard, H410
Category 1

Full text of H- and EUH-statements: see section 16


Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



- CLP Signal word : Danger
- Contains : peracetic acid; Hydrogen peroxide
- Hazard statements (CLP) : H242 - Heating may cause a fire.
H290 - May be corrosive to metals.
H302+H332 - Harmful if swallowed or if inhaled.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.
H410 - Very toxic to aquatic life with long lasting effects.
- Precautionary statements (CLP) : P210 - Keep away from open flames, sparks, heat, hot surfaces. – No smoking.
P220 - Keep/Store away from combustibles.
P261 - Avoid breathing vapours, Mist, Spray.
P280 - Wear protective gloves, protective clothing, face protection.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- EUH-statements : EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845-22	10 – 30	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
peracetic acid substance with national workplace exposure limit(s) (BE, CZ, FI, IE, PL, PT, CH)	CAS-no: 79-21-0 Einecs nr: 201-186-8 EG annex nr: 607-094-00-8 REACH-no: 01-2119531330-56	10 - 20	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=10)
Acetic acid substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, LT, LU, LV, MT, PL, PT, RO, SE, SK, NO, CH, TR)	CAS-no: 64-19-7 Einecs nr: 200-580-7 EG annex nr: 607-002-00-6 REACH-no: 01-2119475328-30	10 - 30	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Sulphuric acid substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HU, IT, LT, LU, MT, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838-20	0.1 – 1	Skin Corr. 1A, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Hydrogen peroxide	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845-22	(5 ≤ C < 8) Eye Irrit. 2, H319 (8 ≤ C < 50) Eye Dam. 1, H318 (35 ≤ C < 100) STOT SE 3, H335 (35 ≤ C < 50) Skin Irrit. 2, H315 (50 ≤ C < 70) Skin Corr. 1B, H314 (50 ≤ C < 70) Ox. Liq. 2, H272 (63 ≤ C < 100) Aquatic Chronic 3, H412 (70 ≤ C < 100) Skin Corr. 1A, H314 (70 ≤ C < 100) Ox. Liq. 1, H271
peracetic acid	CAS-no: 79-21-0 Einecs nr: 201-186-8 EG annex nr: 607-094-00-8 REACH-no: 01-2119531330-56	(1 ≤ C ≤ 100) STOT SE 3, H335
Acetic acid	CAS-no: 64-19-7 Einecs nr: 200-580-7 EG annex nr: 607-002-00-6 REACH-no: 01-2119475328-30	(10 ≤ C < 25) Eye Irrit. 2, H319 (10 ≤ C < 25) Skin Irrit. 2, H315 (25 ≤ C < 90) Skin Corr. 1B, H314 (90 ≤ C ≤ 100) Skin Corr. 1A, H314
Sulphuric acid	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838-20	(5 ≤ C < 15) Skin Irrit. 2, H315 (5 ≤ C < 15) Eye Irrit. 2, H319 (15 ≤ C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

: In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation

: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary.

Skin contact

: Take off immediately all contaminated clothing. Immediately call a POISON CENTER/doctor. Rinse skin with water/shower.

Eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion

: Rinse mouth out with water. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

- Acute effects inhalation : Corrosive to the respiratory tract.
- Acute effects skin : Burns.
- Acute effects eyes : Corrosive to eyes.
- Acute effects oral route : Burns of the upper digestive and respiratory tracts.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : water in large amounts.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Concerning personal protective equipment to use, see section 8.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. After use, container has to be completely emptied and closed. Never return unused material to original container.
- Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in original container. Store tightly closed in a dry and cool place.
- Storage temperature : > 0 – < 35 °C
- Material(s) to avoid : metals. Organic materials. Bases.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

peracetic acid (79-21-0)	
Ireland - Occupational Exposure Limits	
Local name	Peracetic acid
OEL STEL	0.4 ppm IFV (Inhable Fraction and Vapour)
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
Acetic acid (64-19-7)	
Ireland - Occupational Exposure Limits	
Local name	Acetic acid
OEL TWA	25 mg/m³

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetic acid (64-19-7)	
	10 ppm
OEL STEL	37 mg/m³
	15 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Acetic acid
WEL TWA (OEL TWA)	25 mg/m³
	10 ppm
WEL STEL (OEL STEL)	50 mg/m³
	20 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Hydrogen peroxide (7722-84-1)	
Ireland - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OEL TWA	1.5 mg/m³
	1 ppm
OEL STEL	3 mg/m³
	2 ppm
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA)	1.4 mg/m³
	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m³
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Sulphuric acid (7664-93-9)	
United Kingdom - Occupational Exposure Limits	
Local name	Sulphuric acid
WEL TWA (OEL TWA)	0.05 mg/m³ mist
Remark	The mist is defined as the thoracic fraction
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

peracetic acid (79-21-0)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	High health hazard.
Acute - systemic effects, inhalation	0.6 mg/m³

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

peracetic acid (79-21-0)	
Acute - local effects, dermal	0.12 % in mixture
Acute - local effects, inhalation	0.6 mg/m³
Long-term - systemic effects, dermal	High health hazard.
Long-term - local effects, dermal	High health hazard.
Long-term - systemic effects, inhalation	0.6 mg/m³
Long-term - local effects, inhalation	0.6 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	0.6
Acute - local effects, inhalation	0.3 mg/m³
Long-term - systemic effects, inhalation	0.6 mg/m³
Long-term - local effects, inhalation	0.6 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.000224 mg/l
PNEC aqua (marine water)	Testing technically not feasible
PNEC aqua (intermittent, freshwater)	Testing technically not feasible
PNEC aqua (intermittent, marine water)	Testing technically not feasible
PNEC (Sediment)	
PNEC sediment (freshwater)	0.00018 mg/kg dwt
PNEC sediment (marine water)	Testing technically not feasible
PNEC (Soil)	
PNEC soil	0.32 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	Not potentially bioaccumulable
PNEC (STP)	
PNEC sewage treatment plant	0.051 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Face shield

8.2.2.2. Skin protection

Protective equipment:

Long sleeved protective clothing. Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	6 (> 480 minutes)	0,4		EN ISO 374-1

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: acrid and pungent.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: > 100 °C
Flammability	: Not flammable
Explosive properties	: Product is not explosive.
Oxidising properties	: Oxidising liquids Not classified.
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: > 96 °C (EN ISO 2592)
Autoignition temperature	: 280 °C Test method EU A.15
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
SADT	: ≥ 60 °C (SADT for ≤1000L and 26m3 non-insulated tank)
pH	: 0.5
pH solution concentration	: 100 % ± 0.5
Viscosity, kinematic	: 4 mm²/s at 20 °C
Solubility	: Water: Miscible
Partition coefficient n-octanol/water (Log Kow)	: Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.153
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

Contact with alkaline products gives exothermic reaction. Heating may cause a fire or explosion.

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Heating. Direct sunlight.

10.5. Incompatible materials

metals. Organic materials. Bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

Mida CHRIOX 15	
ATE CLP (oral)	441.123 mg/kg bodyweight
ATE CLP (dust,mist)	3.695 mg/l/4h
peracetic acid (79-21-0)	
LD50 oral	85 mg/kg bodyweight
LD50 dermal rabbit	56.1 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Acetic acid (64-19-7)	
LD50 oral	3310 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	> 40000 mg/l/4h
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Sulphuric acid (7664-93-9)	
LD50 oral	2140 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l
Skin corrosion/irritation	: Causes severe skin burns. pH: 0.5
peracetic acid (79-21-0)	
pH	0.5
Acetic acid (64-19-7)	
pH	2.5
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 0.5
peracetic acid (79-21-0)	
pH	0.5
Acetic acid (64-19-7)	
pH	2.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
peracetic acid (79-21-0)	
STOT-single exposure	May cause respiratory irritation.
Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Hydrogen peroxide (7722-84-1)	
NOAEC (inhalation, rat, vapour, 90 days)	7 mg/l
Aspiration hazard	: Not classified
Mida CHRIOX 15	
Viscosity, kinematic	4 mm ² /s at 20 °C
peracetic acid (79-21-0)	
Viscosity, kinematic	1.5 mm ² /s (20°C)
11.2. Information on other hazards	
No additional information available	
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.
peracetic acid (79-21-0)	
LC50 - Fish [1]	1.1 mg/l
EC50 - Crustacea [1]	0.73 mg/l
ErC50 algae	0.05 mg/l (Selenastrum capricornutum)
NOEC (chronic)	0.0121 mg/l
NOEC chronic algae	(Selenastrum capricornutum)
Acetic acid (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 300 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
ErC50 algae	> 300 mg/l
Hydrogen peroxide (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l
EC50 - Crustacea [1]	2.4 mg/l
EC50 72h - Algae [1]	2.62 mg/l
ErC50 algae	1.38 mg/l
NOEC chronic crustacea	0.63 mg/l
Sulphuric acid (7664-93-9)	
LC50 - Fish [1]	> 16 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Mida CHRIOX 15	
Persistence and degradability	Rapidly degradable
peracetic acid (79-21-0)	
Persistence and degradability	Biodegradable, OECD 301E method (Ready biodegradability: Modified OECD Screening Test).
Acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable.
Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradable.
Sulphuric acid (7664-93-9)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Mida CHRIOX 15	
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Bioaccumulative potential	No bioaccumulation.
peracetic acid (79-21-0)	
Bioaccumulative potential	Not established.
Acetic acid (64-19-7)	
Log Pow	-0.2
Bioaccumulative potential	No bioaccumulation.
Hydrogen peroxide (7722-84-1)	
Log Pow	-1.6
Bioaccumulative potential	No bioaccumulation.
Sulphuric acid (7664-93-9)	
Log Pow	-2.2

12.4. Mobility in soil

Mida CHRIOX 15	
Surface tension	65.4 mN/m

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

European List of Waste (LoW, EC 2000/532)

: 20 01 14* - acids

SECTION 14: Transport information




In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3109	UN 3109	UN 3109

Mida CHRIOX 15


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
14.2. UN proper shipping name		
ORGANIC PEROXIDE TYPE F, LIQUID (peroxy acetic acid, stabilised)	ORGANIC PEROXIDE TYPE F, LIQUID (peroxy acetic acid)	Organic peroxide type F, liquid (peroxy acetic acid, stabilised)
Transport document description		
UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID (peroxy acetic acid, stabilised), 5.2 (8), (D), ENVIRONMENTALLY HAZARDOUS	UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID (peroxy acetic acid), 5.2 (8), MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3109 Organic peroxide type F, liquid (peroxy acetic acid, stabilised), 5.2 (8), ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
5.2 (8)	5.2 (8)	5.2 (8)
		
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: P1
Special provisions (ADR)	: 122, 274
Limited quantities (ADR)	: 125ml
Packing instructions (ADR)	: P520, IBC520
Mixed packing provisions (ADR)	: MP4
Portable tank and bulk container instructions (ADR)	: T23
Tank code (ADR)	: L4BN(+)
Tank special provisions (ADR)	: TU3, TU13, TU30, TE12, TA2, TM4
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV15, CV22, CV24
Hazard identification number (Kemler No.)	: 539
Orange plates	: 
Tunnel code	: D
EAC code	: 2W

Transport by sea

Special provisions (IMDG)	: 122, 274
Packing instructions (IMDG)	: P520
IBC packing instructions (IMDG)	: IBC520

Air transport

PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 570
PCA max net quantity (IATA)	: 10L

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO packing instructions (IATA) : 570
CAO max net quantity (IATA) : 25L
Special provisions (IATA) : A20, A150, A802

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
Oxygen-based bleaching agents	≥30%
phosphonates	<5%

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

peracetic acid

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH071	Corrosive to the respiratory tract.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Mida CHRIOX 15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Org. Perox. D	Organic Peroxides, Type D
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Org. Perox. F	H242	
Met. Corr. 1	H290	
Acute Tox. 4 (Oral)	H302	
Acute Tox. 4 (Inhalation:dust,mist)	H332	
Skin Corr. 1A	H314	
STOT SE 3	H335	
Aquatic Chronic 1	H410	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.