MIDA FLOW 127 NA

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date first issue: 10/04/2020 Review date: 09/08/2024 Supersedes version of: 03/10/2023 Version: 4.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : MIDA FLOW 127 NA

UFI : 0CC1-NEF5-C10E-19UK

Product code : IT00493

Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use

Use of the substance/mixture : Caustic, liquid detergent

1.2.2. Uses advised against

Restrictions on use : The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns Italia S.r.l.
Via Aldo Moro 30
IT 20042 PESSANO CON BORNAGO (MI)
Italy
T +39 (02) 99765220, F +39 (02) 99765249
info.pfhitalia@christeyns.com, www.christeyns.com

Distributor

Casoria Company Ltd. Ltd
1 Farnham Street
IE H12 A9K0 Cavan, Co. Cavan
Ireland
T 00353 49 4361869, F 00353 49 436 1869
sds@casoria.ie, www.casoria.ie

Distributor

Christeyns UK Ltd.
Rutland Street
GB Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43
info@christeyns.be, www.christeyns.com

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
IE 2 Dublin
Ireland
T +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB WA2 8RE Warrington, Cheshire
United Kingdom
T +44 (0)1925 23 46 96
UK-foodinfo@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS05

CLP Signal word : Danger

Contains : Sodium hydroxide

Hazard statements (CLP) : H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor, a POISON CENTER.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor, a POISON CENTER.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER.
P390 - Absorb spillage to prevent material damage.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892-27	10 – 30	Met. Corr. 1, H290 Skin Corr. 1A, H314
Phosphoric acid substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, ES, FI, FR, GB, GI, GR, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR)	CAS-no: 7664-38-2 Einecs nr: 231-633-2 EG annex nr: 015-011-00-6 REACH-no: 01-2119485924-24	0.001 – 0.01	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) substance with national workplace exposure limit(s) (CH)	CAS-no: 55965-84-9 EG annex nr: 613-167-00-5 REACH-no: 01-2120764691-48	< 0.001	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 (ATE=78 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=64 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
Sodium hydroxide	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 ≤ C < 2) Eye Irrit. 2, H319 (0.5 ≤ C < 2) Skin Irrit. 2, H315 (2 ≤ C < 5) Skin Corr. 1B, H314 (5 ≤ C ≤ 100) Skin Corr. 1A, H314

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
Phosphoric acid	CAS-no: 7664-38-2 Einecs nr: 231-633-2 EG annex nr: 015-011-00-6 REACH-no: 01-2119485924-24	(10 ≤ C < 25) Skin Irrit. 2, H315 (10 ≤ C < 25) Eye Irrit. 2, H319 (25 ≤ C < 100) Skin Corr. 1B, H314
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-no: 55965-84-9 EG annex nr: 613-167-00-5 REACH-no: 01-2120764691-48	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤ C < 0.6) Eye Irrit. 2, H319 (0.06 ≤ C < 0.6) Skin Irrit. 2, H315 (0.6 ≤ C ≤ 100) Eye Dam. 1, H318 (0.6 ≤ C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : Call a physician immediately.

Inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Rinse skin with water/shower. Call a physician immediately.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

Ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : Burns.

Acute effects eyes : Serious damage to eyes.

Acute effects oral route : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used. Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe Mist, Spray, gas, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Never mix with other materials. Never return unused material to original container. Avoid contact with skin and eyes. Do not breathe Aerosol, Mist, Spray, gas, vapours. Wear personal protective equipment.

Hygiene measures : Always wash hands after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a cool place. Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store in a well-ventilated place.

Incompatible materials : Metals.

Maximum storage period : ≤ 3 year

Storage temperature : ≤ 35 (≥ 0) °C

Material(s) to avoid : Acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m³
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Phosphoric acid (7664-38-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Orthophosphoric acid
WEL TWA (OEL TWA)	1 mg/m³
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light brown.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point/range	: Not applicable
Freezing point	: ≤ 0 °C
Boiling point/Boiling range	: ≥ 100 °C
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 13.5 ± 0,5
pH solution concentration	: 100 %
Viscosity, kinematic	: ≈ 10 mm^2/s at 20 °C
Viscosity, dynamic	: ≈ 10 mPa·s at 20 °C
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not determined as it is not relevant for the characterization of the product
Vapour pressure at 50°C	: Not available
Density	: 1.295 g/cm^3 ± 0,05
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Reacts exothermically with strong acids.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Never mix with other materials. Acids. metals.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50 oral rat	64 mg/kg
LD50 dermal rat	87.12 mg/kg
LD50 dermal rabbit	78 mg/kg
LC50 Inhalation - Rat	0.33 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l/4h

Phosphoric acid (7664-38-2)	
LD50 oral rat	> 300 (<) mg/kg bodyweight
LD50 dermal	2740 mg/kg bodyweight
LC50 Inhalation - Rat	850 mg/l

Skin corrosion/irritation : Causes severe skin burns.
pH: 13.5 ± 0,5

Serious eye damage/irritation : Causes serious eye damage.
pH: 13.5 ± 0,5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Phosphoric acid (7664-38-2)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight

Aspiration hazard : Not classified

MIDA FLOW 127 NA	
Viscosity, kinematic	≈ 10 mm²/s at 20 °C

Phosphoric acid (7664-38-2)	
Viscosity, kinematic	15.2 mm²/s @ 20°C

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LC50 - Fish [1]	0.22 mg/l (Onchorhyncus mykiss) (OECD 203)
EC50 - Crustacea [1]	0.16 mg/l
EC50 - Other aquatic organisms [1]	0.126 mg/l waterflea
EC50 - Other aquatic organisms [2]	0.052 mg/l (Skeletonema costatum) (DIN EN ISO 10253)
EC50 72h - Algae [1]	0.027 mg/l
ErC50 algae	0.003 mg/l Skeletonema costatum
ErC50 other aquatic plants	0.018 mg/l selenastrum capricornutum
NOEC chronic fish	0.05 mg/l
NOEC chronic crustacea	0.1 mg/l
NOEC chronic algae	0.0012 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

Phosphoric acid (7664-38-2)	
LC50 - Fish [1]	3 – 3.25 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l
NOEC chronic algae	100 mg/l

12.2. Persistence and degradability

MIDA FLOW 127 NA	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sodium hydroxide (1310-73-2)	
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Persistence and degradability	t1/2 anaerobic = 0.2d. t 1/2 aerobic = 0.38 - 1.3d. 2-methyl-2H-isothiazole-3-one: t1/2 aerobic = 0.38 - 1.4d..

Phosphoric acid (7664-38-2)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Sodium hydroxide (1310-73-2)	
Log Pow	-3.88

Sodium hydroxide (1310-73-2)	
Bioaccumulative potential	No bioaccumulation.
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Log Pow	0.4
Phosphoric acid (7664-38-2)	
Log Pow	-0.77

12.4. Mobility in soil
No additional information available

12.5. Results of PBT and vPvB assessment
No additional information available

12.6. Endocrine disrupting properties
No additional information available

12.7. Other adverse effects
No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Completely empty the packaging prior to decontamination.

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local legislation.

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information
In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1824	UN 1824	UN 1824
14.2. UN proper shipping name		
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution
Transport document description		
UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 Sodium hydroxide solution, 8, II
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user
Overland transport

Classification code (ADR) : C5

Limited quantities (ADR) : 1l

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	: 
Tunnel code	: E
EAC code	: 2R

Transport by sea

Limited quantities (IMDG)	: 1 L
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02

Air transport

PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)
Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)
Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)
Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Labelling of contents	
Component	**%**
anionic surfactants, non-ionic surfactants, phosphonates	<5%
METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	**Changed item**	**Change**	**Comments**
	Supersedes	Modified	
	Review date	Modified	
1.1	UFI on SDS 1.1	Added	
4.2	Acute effects oral route	Modified	
9.1	Viscosity, dynamic	Added	
9.1	Viscosity, kinematic	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate ana reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH071	Corrosive to the respiratory tract.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.