

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date first issue: 22/04/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : MIDA FLOW 1280 FF
UFI : M1DJ-39KX-4300-1AY7

Product code : 1148
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns NV Afrikalaan 182 9000 GENT Belgium

T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44 info@christeyns.be, www.christeyns.com

Distributor

Christeyns UK Ltd. Rutland Street GB Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43 info@christeyns.be, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB WA2 8RE Warrington, Cheshire United Kingdom T +44 (0)1925 23 46 96

UK-foodinfo@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area Organisation/Company **Address Emergency number** Comment PO Box 1297 Ireland National Poisons Information Centre +353 1 809 2566 (Healthcare professionals-Beaumont Hospital Beaumont Road 9 Dublin +353 1 809 2166 (public, 8am - 10pm, 7/7) United Kingdom National Poisons Information Service **Dudley Road** 0344 892 0111 Only for healthcare B18 7QH (Birmingham Centre) professionals City Hospital

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Distributor

Christeyns Technologies Ireland Ltd Station Road F12 YW84 Newtown South Ballindine, Co. Mayo Ireland T 00353 94 936 4011 info@gannonchemicals.ie, Gannonchemicals.ie

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
IE 2 Dublin
Ireland
T +353 1 8146022

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : Hydrogen peroxide; Methanesulphonic acid; Sulphuric acid

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P280 - Wear eye protection, face protection, protective clothing, protective gloves. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P390 - Absorb spillage to prevent material damage.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulphuric acid substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HU, IT, LT, LU, MT, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838- 20	5 – 10	Skin Corr. 1A, H314
Methanesulphonic acid	CAS-no: 75-75-2 Einecs nr: 200-898-6 EG annex nr: 607-145-00-4	≥ 5 - < 10	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Skin Corr. 1B, H314 STOT SE 3, H335
Sodium cumenesulphonate	CAS-no: 15763-76-5 Einecs nr: 239-854-6 REACH-no: 01-2119489411- 37	≥ 3 - < 10	Eye Irrit. 2, H319
Hydrogen peroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	3 – 5	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Alkyl polyglycol ether C12-18 with EO, n-Butyl	CAS-no: 146340-16-1 Einecs nr: 604-522-5	0.1 – 1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Sulphuric acid	CAS-no: 7664-93-9 Einecs nr: 231-639-5 EG annex nr: 016-020-00-8 REACH-no: 01-2119458838- 20	(5 ≤ C < 15) Skin Irrit. 2, H315 (5 ≤ C < 15) Eye Irrit. 2, H319 (15 ≤ C ≤ 100) Skin Corr. 1A, H314
Hydrogen peroxide	CAS-no: 7722-84-1 Einecs nr: 231-765-0 EG annex nr: 008-003-00-9 REACH-no: 01-2119485845- 22	$(5 \le C < 8)$ Eye Irrit. 2, H319 $(8 \le C < 50)$ Eye Dam. 1, H318 $(35 \le C < 100)$ STOT SE 3, H335 $(35 \le C < 50)$ Skin Irrit. 2, H315 $(50 \le C < 70)$ Skin Corr. 1B, H314 $(50 \le C < 70)$ Ox. Liq. 2, H272 $(63 \le C < 100)$ Aquatic Chronic 3, H412 $(70 \le C < 100)$ Skin Corr. 1A, H314 $(70 \le C < 100)$ Ox. Liq. 1, H271

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.

Skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Get medical attention if symptoms are severe or persist

after washing.

Eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. Contact

ophthalmologist immediately.

Ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Acute effects skin : Causes severe burns.

Acute effects eyes : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood.

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

22/04/2024 (Issue date) EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Store away from other materials.

Other information : Dispose of in accordance with relevant local regulations.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing

before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store locked up.

Storage conditions : Keep container closed when not in use. Keep only in the original container in a cool well

ventilated place. Store in corrosive resistant container with a resistant inner liner.

Incompatible products : Strong bases.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hydrogen peroxide (7722-84-1)		
Ireland - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
OEL TWA	1.5 mg/m ³	
	1 ppm	
OEL STEL	3 mg/m³	
	2 ppm	
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
United Kingdom - Occupational Exposure Limits		
Local name	Hydrogen peroxide	
WEL TWA (OEL TWA)	1.4 mg/m³	
	1 ppm	
WEL STEL (OEL STEL)	2.8 mg/m³	
	2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sulphuric acid (7664-93-9)		
United Kingdom - Occupational Exposure Limits		
Local name	Sulphuric acid	
WEL TWA (OEL TWA)	0.05 mg/m³ mist	
Remark	The mist is defined as the thoracic fraction	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

, i.i. Die and i Neo			
Hydrogen peroxide (7722-84-1)	Hydrogen peroxide (7722-84-1)		
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	3 mg/m³		
Long-term - local effects, inhalation	1.4 mg/m³		
DNEL/DMEL (General population)			
Acute - local effects, inhalation	1.93 mg/m³		
Long-term - local effects, inhalation	0.21 mg/m³		
PNEC (Water)			
PNEC aqua (freshwater)	0.0126 mg/l		
PNEC aqua (marine water)	0.0126 mg/l		
PNEC aqua (intermittent, freshwater)	0.0138 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0.047 mg/kg dwt		
PNEC sediment (marine water)	0.047 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0.0023 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	4.66 mg/l		
Methanesulphonic acid (75-75-2)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	19.44 mg/kg bodyweight/day		
Long-term - local effects, inhalation	2.89 mg/m³		
DNEL/DMEL (General population)			
Acute - systemic effects, inhalation	1.44 mg/m³		
Long-term - systemic effects, inhalation	1.44 mg/m³		
Long-term - systemic effects, dermal	8.33 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.012 mg/l		
PNEC aqua (marine water)	0.0012 mg/l		
PNEC aqua (intermittent, freshwater)	0.12 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0.0251 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0.00183 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	100 mg/l		
Sodium cumenesulphonate (15763-76-5)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	136.25 mg/kg bodyweight/day		
Long-term - local effects, dermal	0.096 mg/cm ²		
Long-term - systemic effects, inhalation	26.9 mg/m³		
,,	ŭ		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium cumenesulphonate (15763-76-5)		
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	3.8 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.23 mg/l	
PNEC aqua (marine water)	0.023 mg/l	
PNEC aqua (intermittent, freshwater)	2.3 mg/l	
PNEC aqua (intermittent, marine water)	2.3 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.862 mg/kg dwt	
PNEC sediment (marine water)	0.0862 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.037 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses (EN 166). Face shield

8.2.2.2. Skin protection

Protective equipment:

Protective clothing (EN 14605 or EN 13034)

Hand protection:

Protective gloves against chemicals (EN 374)

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Light yellow.

Physical state/form : Liquid.

Odour : Acrid.

Odour threshold : Not available

Melting point/range : Not determined as it is not relevant for the characterization of the product
Freezing point : Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range : Not determined as it is not relevant for the characterization of the product
Flammability : Not determined as it is not relevant for the characterization of the product
Lower explosion limit : Constituents do not contain chemical groups associated with explosivity
Upper explosion limit : Constituents do not contain chemical groups associated with explosivity
Flash point : Not determined as it is not relevant for the characterization of the product

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Only applies to self-reactive substances and mixtures, organic peroxides, and other

substances and mixtures that may decompose.

pH : 0-0.5pH solution concentration : 100 %Viscosity, kinematic : Not available Solubility : Not available

Partition coefficient n-octanol/water (Log Kow) : Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

Vapour pressure: Not availableVapour pressure at 50° C: Not availableDensity: $\approx 1120 \text{ kg/m}^3$ Relative density: Not availableRelative vapour density at 20° C: Not availableParticle characteristics: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases. May be corrosive to metals.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Sodium cumenesulphonate (15763-76-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)
Alkyl polyglycol ether C12-18 with EO, n-B	Sutyl (146340-16-1)
LD50 oral rat	≥ 2000 mg/kg
Sulphuric acid (7664-93-9)	
LD50 oral	2140 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l
Skin corrosion/irritation	: Causes severe skin burns. pH: 0 – 0.5
Alkyl polyglycol ether C12-18 with EO, n-B	·
pH	6 – 7.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 0 – 0.5
Alkyl polyglycol ether C12-18 with EO, n-B	Butyl (146340-16-1)
рН	6 – 7.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Sodium cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
Methanesulphonic acid (75-75-2)	
LOAEL (oral, rat)	1000 – 2000 mg/kg bodyweight
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Hydrogen peroxide (7722-84-1)	
NOAEC (inhalation, rat, vapour, 90 days)	7 mg/l
Sodium cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	763 – 3534 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

22/04/2024 (Issue date) EN (English) 8/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Hydrogen peroxide (7722-84-1)		
LC50 - Fish [1]	16.4 mg/l	
EC50 - Crustacea [1]	2.4 mg/l	
EC50 72h - Algae [1]	2.62 mg/l	
ErC50 algae	1.38 mg/l	
NOEC chronic crustacea	0.63 mg/l	
Methanesulphonic acid (75-75-2)		
LC50 - Fish [1]	10 – 100 mg/l	
EC50 - Crustacea [1]	10 – 100 mg/l	
ErC50 other aquatic plants	10 – 100 mg/l	
Sodium cumenesulphonate (15763-76-5)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 100 mg/l	
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 algae	> 100 mg/l	
Alkyl polyglycol ether C12-18 with EO, n-Butyl (146340-16-1)		
LC50 - Fish [1]	0.1 – 1 mg/l	
EC50 - Crustacea [1]	≤ 1 mg/l	
Sulphuric acid (7664-93-9)		
LC50 - Fish [1]	> 16 mg/l	

EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability

EC50 - Other aquatic organisms [1]

MIDA FLOW 1280 FF		
Persistence and degradability	Not rapidly degradable	
Hydrogen peroxide (7722-84-1)		
Persistence and degradability	Biodegradable.	
Methanesulphonic acid (75-75-2)		
Persistence and degradability	Rapidly degradable	
Sodium cumenesulphonate (15763-76-5)		
Persistence and degradability	Rapidly degradable	
Alkyl polyglycol ether C12-18 with EO, n-Butyl (146340-16-1)		
Persistence and degradability	Rapidly degradable	
Sulphuric acid (7664-93-9)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		

> 100 mg/l waterflea

> 100 mg/l

12.3. Bioaccumulative potential

MIDA FLOW 1280 FF		
	Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)	
Log Pow	-1.6
Bioaccumulative potential No bioaccumulation.	
Sulphuric acid (7664-93-9)	
Log Pow -2.2	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number or ID number			
UN 1760	UN 1760	UN 1760	
14.2. UN proper shipping name			
CORROSIVE LIQUID, N.O.S. (Sulphuric acid; Methanesulphonic acid)	CORROSIVE LIQUID, N.O.S. (Sulphuric acid; Methanesulphonic acid)	Corrosive liquid, n.o.s. (Sulphuric acid; Methanesulphonic acid)	
Transport document description			
UN 1760 CORROSIVE LIQUID, N.O.S. (Sulphuric acid; Methanesulphonic acid), 8, II, (E)	UN 1760 CORROSIVE LIQUID, N.O.S. (Sulphuric acid; Methanesulphonic acid), 8, II	UN 1760 Corrosive liquid, n.o.s. (Sulphuric acid ; Methanesulphonic acid), 8, II	
14.3. Transport hazard class(es)			
8	8	8	
8	8	8	
14.4. Packing group			
II	II	II	
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 11

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T11

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP2, TP27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Hazard identification number (Kemler No.) : 80
Orange plates :

80 1760

Tunnel code : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

Air transport

PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
anionic surfactants	5-15%	
Oxygen-based bleaching agents, non-ionic surfactants	<5%	

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	code for a separate	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H271	May cause fire or explosion; strong oxidiser.		
H272	May intensify fire; oxidiser.		
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H400	Very toxic to aquatic life.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H412	Harmful to aquatic life with long lasting effects.		
Met. Corr. 1	Corrosive to metals, Category 1		
Ox. Liq. 1	Oxidising Liquids, Category 1		
Ox. Liq. 2	Oxidising Liquids, Category 2		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Met. Corr. 1	H290	Calculation method		
Skin Corr. 1	H314	On basis of test data		
Eye Dam. 1	H318	On basis of test data		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.