

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 16/10/2024 Supersedes version of: 13/05/2024 Version: 6.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Mida FLOW 142 CL UFI : 82RH-P5CX-S20T-M27W

Product code

Type of product : Biocidal products, Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category : Chlorinated CIP detergent Use of the substance/mixture

Biocide

1.2.2. Uses advised against

Restrictions on use : The product should not be used for purposes other than those shown above without first

referring to the supplier and obtaining written handling instructions

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns NV Afrikalaan 182 9000 GENT Belaium

T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44 info@christeyns.be, www.christeyns.com

Distributor

Christeyns UK Ltd. **Rutland Street** GB Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43 info@christeyns.be, www.christeyns.com

Distributor

Category 2

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB WA2 8RE Warrington, Cheshire United Kingdom

T +44 (0)1925 23 46 96

UK-foodinfo@christeyns.com, www.christeyns.com

Distributor

Casoria Company Ltd. Ltd 1 Farnham Street IE H12 A9K0 Cavan, Co. Cavan

Ireland

T 00353 49 4361869, F 00353 49 436 1869 sds@casoria.ie, www.casoria.ie

Distributor

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

IE 2 Dublin Ireland

T+353 1 8146022

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1 H314 Hazardous to the aquatic environment - Acute Hazard, H400 Category 1 Hazardous to the aquatic environment - Chronic Hazard, H411

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS09

Signal word (CLP) : Danger

: Sodium hypochlorite; Sodium hydroxide; Potassium hydroxide Contains

Hazard statements (CLP) : H290 - May be corrosive to metals.

H410 - Very toxic to aquatic life with long lasting effects. H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear eye protection, face protection, protective gloves, protective clothing.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

P403 - Store in a well-ventilated place.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH031 - Contact with acids liberates toxic gas.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (ÉU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892- 27	5 – 10	Met. Corr. 1, H290 Skin Corr. 1A, H314
Sodium hypochlorite	CAS-no: 7681-52-9 Einecs nr: 231-668-3 EG annex nr: 017-011-00-1 REACH-no: 01-2119488154- 34	5 – 10	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH031
Potassium hydroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136- 33	1-3	Acute Tox. 4 (Oral), H302 (ATE=333 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
2-Phosphonobutane-1,2,4-tricarboxylic acid	CAS-no: 37971-36-1 Einecs nr: 253-733-5 REACH-no: 05-2115916380- 54	1 – 3	Met. Corr. 1, H290 Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Sodium hydroxide	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Eye Irrit. 2, H319 $(0.5 \le C < 2)$ Skin Irrit. 2, H315 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C \le 100)$ Skin Corr. 1A, H314
Sodium hypochlorite	CAS-no: 7681-52-9 Einecs nr: 231-668-3 EG annex nr: 017-011-00-1 REACH-no: 01-2119488154- 34	(5 ≤ C ≤ 100) EUH031
Potassium hydroxide	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136- 33	$(0.5 \le C < 2)$ Eye Irrit. 2, H319 $(0.5 \le C < 2)$ Skin Irrit. 2, H315 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C \le 100)$ Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician.

Inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

Skin contact : Wash off with plenty of water. Immediately call a POISON CENTER/doctor. Immediately

remove contaminated clothing or footwear.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : At high concentrations, the vapours can be irritating to the respiratory system.

Acute effects skin : Burns upon contact with the skin.

Acute effects eyes : Corrosive to eyes.

Acute effects oral route : Burns of the upper digestive and respiratory tracts.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible but enhances combustion of other substances.

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed

container for disposal.

6.4. Reference to other sections

No additional information available

16/10/2024 (Revision date) EN (English) 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. After use, container has to be completely emptied and

closed. Never return unused material to original container.

Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store tightly closed in a dry and cool place.

Material(s) to avoid : None known.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL STEL	2 mg/m³	
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Potassium hydroxide (1310-58-3)		
Ireland - Occupational Exposure Limits		
Local name	Potassium hydroxide	
OEL STEL	2 mg/m³	
Remark	Additional OFIN (Additional Oceanostics of Functional Library)	
	Advisory OELV (Advisory Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
Regulatory reference United Kingdom - Occupational Exposure Limits		
United Kingdom - Occupational Exposure Limits	Chemical Agents Code of Practice 2024	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

0.1.4. DNEL and FNEC	
Mida FLOW 142 CL	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	3.1 mg/m³
Acute - local effects, inhalation	3.1 mg/m³
Long-term - local effects, dermal	0.5 % in mixture
Long-term - systemic effects, inhalation	1.55 mg/m³
Long-term - local effects, inhalation	1.55 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mida FLOW 142 CL		
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	3.1	
Acute - local effects, inhalation	3.1 mg/m³	
Long-term - systemic effects,oral	0.26 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.55 mg/m³	
Long-term - local effects, inhalation	1.55 mg/m³	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166)

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure good ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Yellow.
Physical state/form : Liquid.
Odour : chlorine.
Odour threshold : Not available

Melting point/range : Not determined as it is not relevant for the characterization of the product
Freezing point : Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range : Not determined as it is not relevant for the characterization of the product
Flammability : Not determined as it is not relevant for the characterization of the product
Lower explosion limit : Constituents do not contain chemical groups associated with explosivity
Upper explosion limit : Constituents do not contain chemical groups associated with explosivity
Flash point : Not determined as it is not relevant for the characterization of the product

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Only applies to self-reactive substances and mixtures, organic peroxides, and other

substances and mixtures that may decompose.

pH : > 13 pH solution concentration : 100 Viscosity, kinematic : $8 \text{ mm}^2/\text{s}$

Solubility : Water: Dispersible

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow) : Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 1.18 kg/l
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No decomposition if stored normally.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Contact with acids liberates toxic gas (chlorine).

10.5. Incompatible materials

Aluminium and its alloys. Never mix with other materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium hypochlorite (7681-52-9)		
LD50 oral rat	> 2000 mg/kg	
LD50 oral	8910 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg	
Potassium hydroxide (1310-58-3)		
LD50 oral rat 273 mg/kg		
LD50 oral	333 mg/kg bodyweight	

Skin corrosion/irritation : Causes severe skin burns.

pH: > 13

Potassium hydroxide (1310-58-3)	
pH	14

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: > 13

Potassium hydroxide (1310-58-3)		
Н	14	
Respiratory or skin sensitisation	: Not classified	
Come call manda maniaitus	. Nat alassifical	

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard	: Not classified

Mida FLOW 142 CL	
Viscosity, kinematic	8 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term (chronic)

: Very toxic to aquatic life.

: Toxic to aquatic life with long lasting effects.

(GITOTILE)		
Sodium hypochlorite (7681-52-9)		
LC50 - Fish [1]	0.06 mg/l (fresh water)	
LC50 - Fish [2]	0.032 mg/l (marine water)	
EC50 - Crustacea [1]	0.141 mg/l (Daphnia magna - fresh water)	
EC50 - Other aquatic organisms [1]	0.026 mg/l (Crassostrea virginica - marine water)	
Sodium hydroxide (1310-73-2)		
LC50 - Fish [1]	> 35 mg/l	
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)	
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea	
Potassium hydroxide (1310-58-3)		
LC50 - Fish [1]	Western mosquitofish (Gambusia affinis) 80 mg/l. 96 hours	
	<u> </u>	

12.2. Persistence and degradability

Mida FLOW 142 CL	
	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

2-Phosphonobutane-1,2,4-tricarboxylic acid (37971-36-1)

		3
Persistence and degradability	Strong oxidizing agent, It will react with organic substances present in soil and sediments	
	and degrades rapidly to chloride, Sodium hypochlorite is substantially removed in biological	ı
	treatment processes.	l

Rapidly degradable

Sodium hydroxide (1310-73-2)

Sodium hypochlorite (7681-52-9)

Persistence and degradability

Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
-------------------------------	--

Potassium hydroxide (1310-58-3)

Persistence and degradability	Not rapidly	degradable
reisisterice and degradability	INOL Tapiui	y uegrauabie

12.3. Bioaccumulative potential

The Diedecannalant operation			
Mida FLOW 142 CL			
Partition coefficient n-octanol/water (Log Kow) Does not apply to inorganic and ionic liquids and does not generally apply to mixt			
Sodium hypochlorite (7681-52-9)			
Log Pow	-3.42		
Bioaccumulative potential	Bioaccumulation unlikely.		
Sodium hydroxide (1310-73-2)			
Log Pow	-3.88		
Bioaccumulative potential	No bioaccumulation.		

16/10/2024 (Revision date) EN (English) 7/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local

legislation.

European List of Waste (LoW, EC 2000/532)

: 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number or ID number			
UN 3266	UN 3266	UN 3266	
14.2. UN proper shipping name			
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite)	Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, sodium hypochlorite)	
Transport document description			
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, sodium hypochlorite), 8, II, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard class(es)			
8	8	8	
	8	8	
14.4. Packing group			
II	II	II	
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 11

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T11

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2

16/10/2024 (Revision date) EN (English) 8/11

: TP2, TP27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (Kemler No.) : 80

Orange plates

80 3266

Tunnel code : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

Air transport

PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Labelling of contents		
Component %		
chlorine-based bleaching agents	5-15%	
phosphonates, polycarboxylates	<5%	
METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE		

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Concentration of the solution used for the pH measurement	Modified	
	Review date	Modified	
	Supersedes	Modified	
	Date first issue	Added	
9.1	рН	Modified	
9.1	Particle size	Added	

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ErC50 (algae)	ErC50 (algae)	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.

This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH031	Contact with acids liberates toxic gas	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1	H314	On basis of test data
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Expert judgement

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.