

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : MIDA FLOW 144 ZC
UFI : 89GP-E9NC-700X-YMXQ
Product code : 1085
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses**

Main use category : Professional use
Use of the substance/mixture : Chlorinate alkaline detergent

1.3. Details of the supplier of the safety data sheet**Supplier**

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44
info@christeyns.be, www.christeyns.com

Manufacturer

Christeyns NV
Afrikalaan 182
9000 GENT
Belgium
T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44
info@christeyns.be, www.christeyns.com

Distributor

CHRISTEYNS s.r.o.
Vítovská 453/7
CZ 742 35 Odry, Czech Republic
Czech Republic
T +420 556 731 111
legislativa@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS05

GHS09

Signal word (CLP) :

Danger

Contains :

Amines, C12-14-alkyldimethyl, N-oxides; Sodium hypochlorite; potassium hydroxide

Hazard statements (CLP) :

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P280 - Wear eye protection, protective clothing, protective gloves.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER/doctor.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
P390 - Absorb spillage to prevent material damage.
P391 - Collect spillage.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hypochlorite	CAS-no: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154-34	3 – 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH031
potassium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=333 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Amines, C12-14-alkyldimethyl, N-oxides	CAS-no: 308062-28-4 EC-No.: 931-292-6	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
sodium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, IS, NO, MK, CH, TR)	CAS-no: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	0.1 – 1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Sodium hypochlorite	CAS-no: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154-34	(5 \leq C \leq 100) EUH031
potassium hydroxide	CAS-no: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	(0.5 \leq C < 2) Eye Irrit. 2; H319 (0.5 \leq C < 2) Skin Irrit. 2; H315 (2 \leq C < 5) Skin Corr. 1B; H314 (5 \leq C \leq 100) Skin Corr. 1A; H314
sodium hydroxide	CAS-no: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 \leq C < 2) Skin Irrit. 2; H315 (0.5 \leq C < 2) Eye Irrit. 2; H319 (2 \leq C < 5) Skin Corr. 1B; H314 (5 \leq C \leq 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: Call a physician immediately.
Inhalation	: Remove person to fresh air and keep comfortable for breathing.
Skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
Ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin	: Burns.
Acute effects eyes	: Serious damage to eyes.
Acute effects oral route	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Metals.

7.3. Specific end use(s)

No additional information available

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

sodium hydroxide (1310-73-2)	
Czech Republic - Occupational Exposure Limits	
Local name	Hydroxid sodný
PEL (OEL TWA)	1 mg/m ³
NPK-P (OEL C)	2 mg/m ³
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)
potassium hydroxide (1310-58-3)	
Czech Republic - Occupational Exposure Limits	
Local name	Hydroxid draselný
PEL (OEL TWA)	1 mg/m ³
NPK-P (OEL C)	2 mg/m ³
Remark	I - dráždí sliznice (oči, dýchací cesty), resp. kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Protective clothing. Safety glasses. Face shield.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Face shield. Safety glasses with side shields. ISO 16321-1

Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: Yellow.
Odour	: chlorine.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: Not determined as it is not relevant for the characterization of the product
Flammability	: Not determined as it is not relevant for the characterization of the product Non flammable
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
pH	: 13 ± 0,5 (100%) ; 11,3 ± (1%)
pH solution concentration	: 100
Viscosity, kinematic	: 13 mm ² /s
Solubility	: Water: Miscible
Partition coefficient n-octanol/water (Log Kow)	: Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1160 – 1210 g/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)

LD50 oral rat	1064 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Sodium hypochlorite (7681-52-9)

LD50 oral rat	1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 oral	8910 mg/kg bodyweight
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium hypochlorite (7681-52-9)	
LD50 dermal	> 20000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 10500 mg/l
potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns. pH: 13 ± 0,5 (100%) ; 11,3 ± (1%)
Sodium hypochlorite (7681-52-9)	
pH	11
potassium hydroxide (1310-58-3)	
pH	14
Serious eye damage/irritation	: Causes serious eye damage. pH: 13 ± 0,5 (100%) ; 11,3 ± (1%)
Sodium hypochlorite (7681-52-9)	
pH	11
potassium hydroxide (1310-58-3)	
pH	14
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Sodium hypochlorite (7681-52-9)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)	
NOAEL (animal/male, F0/P)	37 – 128 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:
NOAEL (animal/female, F0/P)	47 – 119 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:
NOAEL (animal/male, F1)	37 – 128 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:
NOAEL (animal/female, F1)	47 – 119 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:
STOT-single exposure	: Not classified
Sodium hypochlorite (7681-52-9)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)	
NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
Aspiration hazard	: Not classified
MIDA FLOW 144 ZC	
Viscosity, kinematic	13 mm ² /s

11.2. Information on other hazards

No additional information available

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)	
LC50 - Fish [1]	2.67 mg/l
EC50 - Crustacea [1]	10.4 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	3.1 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.42 mg/l 302 days
NOEC chronic crustacea	0.7 mg/l 21 days, Daphnia magna
NOEC chronic algae	0.067 mg/l 28 days

Sodium hypochlorite (7681-52-9)	
LC50 - Fish [1]	2.1 mg/l
EC50 - Crustacea [1]	141 µg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	35 µg/l Test organisms (species): Ceriodaphnia dubia
EC50 - Other aquatic organisms [1]	0.141 mg/l waterflea
EC50 72h - Algae [1]	0.0365 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.0183 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

potassium hydroxide (1310-58-3)	
LC50 - Fish [1]	Western mosquitofish (Gambusia affinis) 80 mg/l. 96 hours

12.2. Persistence and degradability

MIDA FLOW 144 ZC	
Persistence and degradability	Not rapidly degradable

Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)	
Persistence and degradability	Not rapidly degradable
Biodegradation	90 % 28 days; OECD 301 B

Sodium hypochlorite (7681-52-9)	
Persistence and degradability	Not rapidly degradable

sodium hydroxide (1310-73-2)	
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.

potassium hydroxide (1310-58-3)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

MIDA FLOW 144 ZC	
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)	
Partition coefficient n-octanol/water (Log Kow)	< 2.7
Sodium hypochlorite (7681-52-9)	
Log Pow	-3.42
sodium hydroxide (1310-73-2)	
Log Pow	-3.88
Bioaccumulative potential	No bioaccumulation.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3266	UN 3266	UN 3266
14.2. UN proper shipping name		
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide ; sodium hypochlorite, solution... % Cl active)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide ; sodium hypochlorite, solution... % Cl active)	Corrosive liquid, basic, inorganic, n.o.s. (potassium hydroxide ; sodium hypochlorite, solution... % Cl active)
Transport document description		
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide ; sodium hypochlorite, solution... % Cl active), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide ; sodium hypochlorite, solution... % Cl active), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (potassium hydroxide ; sodium hypochlorite, solution... % Cl active), 8, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR)

: C5

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Tank special provisions (ADR)	: TU42
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel code : E

Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
chlorine-based bleaching agents, phosphonates	<5%

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Date first issue	Added
	Supersedes	Modified
	Review date	Modified

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstracts Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH031	Contact with acids liberates toxic gas.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method

MIDA FLOW 144 ZC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.