

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : MIDA FLOW 243 OS
 UFI : DN40-40ST-W00M-JCF4
 Product code : CZ00054
 Type of product : Cleaning agent,Detergent
 Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use,Professional use
 Use of the substance/mixture : Detergent

1.3. Details of the supplier of the safety data sheet

Manufacturer

CHRISTEYNS s.r.o.
 Vítovská 453/7
 CZ 742 35 Odry, Czech Republic
 Czech Republic
 T +420 556 731 111
legislative@christeyns.com, www.christeyns.com

Distributor

Christeyns Technologies Ltd.
 Mazars, Block 3, Harcourt Centre, Harcourt Road
 IE 2 Dublin
 Ireland
 T +353 1 8146022

Distributor

Christeyns UK Ltd.
 Rutland Street
 GB Bradford BD4 7EA
 United Kingdom
 T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43
info@christeyns.be, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd
 2, Cameron Court, Winwick Quay
 GB WA2 8RE Warrington, Cheshire
 United Kingdom
 T +44 (0)1925 23 46 96
UK-foodinfo@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
 Skin corrosion/irritation, Category 1, Sub-Category 1A H314
 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: sulphuric acid ... %

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P234 - Keep only in original packaging. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. P390 - Absorb spillage to prevent material damage. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sulphuric acid ... % substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, EE, ES, FI, FR, GB, GI, GR, HU, IT, LT, LU, MT, NL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-no: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	10 – 30	Skin Corr. 1A, H314
Sodium p-cumenesulphonate	CAS-no: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411-37	10 – 30	Eye Irrit. 2, H319
sulphamidic acid; sulphamic acid; sulfamic acid	CAS-no: 5329-14-6 EC-No.: 226-218-8 EC Index-No.: 016-026-00-0 REACH-no: 01-2119488633-28	5 – 10	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Hydrogen peroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845-22	3 – 5	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
sulphuric acid ... %	CAS-no: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	(5 \leq C < 15) Skin Irrit. 2; H315 (5 \leq C < 15) Eye Irrit. 2; H319 (15 \leq C \leq 100) Skin Corr. 1A; H314

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Hydrogen peroxide	CAS-no: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845-22	(5 ≤ C < 8) Eye Irrit. 2; H319 (8 ≤ C < 50) Eye Dam. 1; H318 (35 ≤ C < 100) STOT SE 3; H335 (35 ≤ C < 50) Skin Irrit. 2; H315 (50 ≤ C < 70) Skin Corr. 1B; H314 (50 ≤ C < 70) Ox. Liq. 2; H272 (63 ≤ C < 100) Aquatic Chronic 3; H412 (70 ≤ C < 100) Skin Corr. 1A; H314 (70 ≤ C < 100) Ox. Liq. 1; H271

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation	: Get medical advice/attention if you feel unwell.
Skin contact	: Take off immediately all contaminated clothing. Wash skin with plenty of water. Call a physician immediately.
Eye contact	: Wash immediately with plenty water (during 20 minutes), also under eyelids. Call a physician immediately.
Ingestion	: Rinse mouth out with water. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin	: Causes severe burns.
Acute effects eyes	: Causes serious eye burns.
Acute effects oral route	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: All extinguishing agents can be used.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.
-------------------------	--

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Never mix with other materials. Never return unused material to original container.
Hygiene measures	: Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in original container. Store tightly closed in a dry and cool place.
Material(s) to avoid	: None known.

7.3. Specific end use(s)

No additional information available

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

sulphuric acid ... % (7664-93-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphuric acid (mist)
IOEL TWA	0.05 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
United Kingdom - Occupational Exposure Limits	
Local name	Sulphuric acid
WEL TWA (OEL TWA)	0.05 mg/m ³ mist
Remark	The mist is defined as the thoracic fraction
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Hydrogen peroxide (7722-84-1)	
Ireland - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OEL TWA	1.5 mg/m ³
	1 ppm
OEL STEL	3 mg/m ³
	2 ppm
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA)	1.4 mg/m ³
	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Wear security glasses which protect from splashes

Skin protection

Protective equipment:

Wear suitable protective clothing

Hand protection:

Protective gloves

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow.
Odour	: odourless.
Odour threshold	: Not determined as it is not relevant for the characterization of the product
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: Not determined as it is not relevant for the characterization of the product
Flammability	: Not determined as it is not relevant for the characterization of the product
Explosive properties	: Not determined as it is not relevant for the characterization of the product.
Lower explosion limit	: Not determined as it is not relevant for the characterization of the product
Upper explosion limit	: Not determined as it is not relevant for the characterization of the product
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Not determined as it is not relevant for the characterization of the product
Decomposition temperature	: Not determined as it is not relevant for the characterization of the product
pH	: 0,5 ± 1 (100%)
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 5,40 ± 5 mPas (20°C)
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not determined as it is not relevant for the characterization of the product
Vapour pressure	: Not determined as it is not relevant for the characterization of the product
Vapour pressure at 50°C	: Not determined as it is not relevant for the characterization of the product
Density	: 1,15 ± 0,1 g/ml
Relative density	: 1,15 at (20°C)
Relative vapour density at 20°C	: Not determined as it is not relevant for the characterization of the product
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Contact with alkaline products gives exothermic reaction.

10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Never mix with other materials.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified.

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
LD50 oral rat	2140 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
LD50 dermal	> 2000 mg/kg bodyweight
Sodium p-cumenesulphonate (15763-76-5)	
LD50 oral rat	≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 5 mg/l 232 min
sulphuric acid ... % (7664-93-9)	
LD50 oral rat	2140 mg/kg bodyweight Animal: rat, 95% CL: 1540 - 2990
LD50 oral	2140 mg/kg bodyweight
LC50 Inhalation - Rat	0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	375 mg/l
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns. pH: 0,5 ± 1 (100%)
sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
pH	1.18
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 0,5 ± 1 (100%)
sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
pH	1.18
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Sodium p-cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
NOAEL (animal/female, F1)	500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPP 83-4 (Reproduction and Fertility Effects)
Sodium p-cumenesulphonate (15763-76-5)	
LOAEL (animal/male, F1)	1000 mg/kg bodyweight 24 hours
STOT-single exposure	: Not classified
Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium p-cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
Hydrogen peroxide (7722-84-1)	
NOAEC (inhalation, rat, vapour, 90 days)	7 mg/l
Aspiration hazard	: Not classified
11.2. Information on other hazards	
No additional information available	
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
LC50 - Fish [1]	70.3 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	71.6 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	71.6 mg/l waterflea
EC50 - Other aquatic organisms [2]	29.5 mg/l
EC50 72h - Algae [1]	48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	33.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	34 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	19 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 60 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
Sodium p-cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	≥ 1580 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1020 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
sulphuric acid ... % (7664-93-9)	
LC50 - Fish [1]	> 16 mg/l
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.15 mg/l Test organisms (species): other:
NOEC chronic fish	0.31 mg/l Test organisms (species): Salvelinus fontinalis Duration: '213 d'
Hydrogen peroxide (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l
EC50 - Crustacea [1]	2.4 mg/l
EC50 72h - Algae [1]	2.62 mg/l
ErC50 algae	1.38 mg/l
NOEC chronic crustacea	0.63 mg/l

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

MIDA FLOW 243 OS	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
Persistence and degradability	Not rapidly degradable
Sodium p-cumenesulphonate (15763-76-5)	
Persistence and degradability	Not rapidly degradable
Biodegradation	> 60 % 28 days; OECD 301 B
sulphuric acid ... % (7664-93-9)	
Persistence and degradability	Rapidly degradable
Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradable.

12.3. Bioaccumulative potential

MIDA FLOW 243 OS	
Partition coefficient n-octanol/water (Log Kow)	Not determined as it is not relevant for the characterization of the product
Bioaccumulative potential	No bioaccumulation.
sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
Log Pow	0.1
Sodium p-cumenesulphonate (15763-76-5)	
Partition coefficient n-octanol/water (Log Kow)	0.07
sulphuric acid ... % (7664-93-9)	
Log Pow	-1
Hydrogen peroxide (7722-84-1)	
Log Pow	-1.6
Bioaccumulative potential	No bioaccumulation.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local legislation.

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information




In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1760	UN 1760	UN 1760

MIDA FLOW 243 OS


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
14.2. UN proper shipping name		
CORROSIVE LIQUID, N.O.S. (Sulphuric acid, Sulphamic acid)	CORROSIVE LIQUID, N.O.S. (Sulphuric acid, Sulphamic acid)	Corrosive liquid, n.o.s. (Sulphuric acid, Sulphamic acid)
Transport document description		
UN 1760 CORROSIVE LIQUID, N.O.S. (Sulphuric acid, Sulphamic acid), 8, II, (E)	UN 1760 CORROSIVE LIQUID, N.O.S. (Sulphuric acid, Sulphamic acid), 8, II	UN 1760 Corrosive liquid, n.o.s. (Sulphuric acid, Sulphamic acid), 8, II
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	: 

Tunnel code	: E
EAC code	: 2X
APP code	: B

Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02

Air transport

PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (IATA) : A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
Oxygen-based bleaching agents	<5%

Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

MIDA FLOW 243 OS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	Expert judgement
Skin Corr. 1A	H314	Expert judgement

The classification complies with : ATP 8

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.