MIDA FOAM 193 AC

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date first issue: 01/03/2024 Review date: 01/03/2024 Supersedes version of: 22/09/2022 Version: 4.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : MIDA FOAM 193 AC

UFI : CQ2P-J27T-P00H-Y5JM

Product code : IT00030

Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use

Use of the substance/mixture : Chlorinated foam detergent

Use of the substance/mixture : Biocide

1.2.2. Uses advised against

Restrictions on use : The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns Italia S.r.l.
Via Aldo Moro 30
IT 20042 PESSANO CON BORNAGO (MI)
Italy
T +39 (02) 99765220, F +39 (02) 99765249
info.pfhitalia@christeyns.com, www.christeyns.com

Distributor

Casoria Company Ltd. Ltd
1 Farnham Street
IE H12 A9K0 Cavan, Co. Cavan
Ireland
T 00353 49 4361869, F 00353 49 436 1869
sds@casoria.ie, www.casoria.ie

Distributor

Christeyns UK Ltd.
Rutland Street
GB Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43
info@christeyns.be, www.christeyns.com

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
IE 2 Dublin
Ireland
T +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB WA2 8RE Warrington, Cheshire
United Kingdom
T +44 (0)1925 23 46 96, F +44 (0)1925 23 46 93
UK-foodinfo@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects
May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS05 GHS09

CLP Signal word : Danger

Contains : Sodium hypochlorite; Sodium hydroxide; Amines, C12-14, alkyldimethyl, N-oxides

Hazard statements (CLP) : H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor, a POISON CENTER.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor, a POISON CENTER.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER.
P390 - Absorb spillage to prevent material damage.
P391 - Collect spillage.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892-27	5 – 10	Met. Corr. 1, H290 Skin Corr. 1A, H314
Sodium hypochlorite	CAS-no: 7681-52-9 Einecs nr: 231-668-3 EG annex nr: 017-011-00-1 REACH-no: 01-2119488154-34	3 – 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH031
Amines, C12-14, alkyldimethyl, N-oxides	CAS-no: 308062-28-4 Einecs nr: 931-292-6 REACH-no: 01-2119490061-47	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=1064 mg/kg bodyweight) Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
Sodium hydroxide	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 ≤ C < 2) Eye Irrit. 2, H319 (0.5 ≤ C < 2) Skin Irrit. 2, H315 (2 ≤ C < 5) Skin Corr. 1B, H314 (5 ≤ C ≤ 100) Skin Corr. 1A, H314

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
Sodium hypochlorite	CAS-no: 7681-52-9 Einecs nr: 231-668-3 EG annex nr: 017-011-00-1 REACH-no: 01-2119488154-34	(5 ≤ C ≤ 100) EUH031

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : If you feel unwell, seek medical advice. Call a physician immediately.

Inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

Skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Call a physician immediately. Rinse skin with water/shower. Take off immediately all contaminated clothing.

Eye contact : Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Rinse cautiously with water for several minutes. Call a physician immediately.

Ingestion : Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention. Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : Burns.

Acute effects eyes : Serious damage to eyes.

Acute effects oral route : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used. Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon monoxide. Carbon dioxide. Chlorine.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe Mist, Spray, gas, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe Mist, Spray, gas, vapours. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool. Protect from sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place.

Incompatible products : Strong acids.

Incompatible materials : Metals.

Maximum storage period : ≤ 1 year

Storage temperature : ≤ 35 °C

Material(s) to avoid : Acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Face shield. Gloves. Protective clothing.

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield. Safety glasses

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of inadequate ventilation wear respiratory protection.

Respiratory protection			
Device	**Filter type**	**Condition**	**Standard**
Reusable half mask	Filter B (grey)	Short term exposure, Vapour protection	

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow.
Odour	: chlorine.
Odour threshold	: Not available
Melting point/range	: Not applicable
Freezing point	: ≤ 0 °C
Boiling point/Boiling range	: ≥ 100 °C
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not determined as it does not contain flammable substances
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 13.5 ± 0,5
pH solution concentration	: 100 %
Viscosity, kinematic	: ≈ 47 mm²/s ± 10
Viscosity, dynamic	: ≈ 50 mPa·s ± 10
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 2.5 kPa Sodium Hypochlorite
Vapour pressure at 50°C	: Not available
Density	: 1.08 g/m³ ± 0,05 at 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Never mix with other materials. Acids. metals.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Chlorine.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Sodium hypochlorite (7681-52-9)	
LD50 oral rat	> 2000 mg/kg
LD50 oral	8910 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
LD50 oral rat	1064 mg/kg

Skin corrosion/irritation : Causes severe skin burns.
pH: 13.5 ± 0,5

Serious eye damage/irritation : Causes serious eye damage.
pH: 13.5 ± 0,5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

MIDA FOAM 193 AC	
Viscosity, kinematic	≈ 47 mm²/s ± 10

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long–term (chronic) : Toxic to aquatic life with long lasting effects.

Sodium hypochlorite (7681-52-9)	
LC50 - Fish [1]	0.06 mg/l (fresh water)
LC50 - Fish [2]	0.032 mg/l (marine water)
EC50 - Crustacea [1]	0.141 mg/l (Daphnia magna - fresh water)
EC50 - Other aquatic organisms [1]	0.026 mg/l (Crassostrea virginica - marine water)

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
LC50 - Fish [1]	2.67 mg/l
EC50 - Crustacea [1]	3.1 mg/l
ErC50 algae	0.143 mg/l
NOEC chronic algae	≥ 0.0191 mg/l

12.2. Persistence and degradability

MIDA FOAM 193 AC	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sodium hypochlorite (7681-52-9)	
Persistence and degradability	Strong oxidizing agent,It will react with organic substances present in soil and sediments and degrades rapidly to chloride,Sodium hypochlorite is substantially removed in biological treatment processes.

Sodium hydroxide (1310-73-2)	
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Sodium hypochlorite (7681-52-9)	
Log Pow	-3.42
Bioaccumulative potential	Bioaccumulation unlikely.

Sodium hydroxide (1310-73-2)	
Log Pow	-3.88
Bioaccumulative potential	No bioaccumulation.

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
Partition coefficient n-octanol/water (Log Kow)	> 2.7

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations	: Completely empty the packaging prior to decontamination.
Waste / unused products	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
HP Code	: HP8 - “Corrosive:” waste which on application can cause skin corrosion. HP14 - “Ecotoxic:” waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1719	UN 1719	UN 1719
14.2. UN proper shipping name		
CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide ; Sodium hypochlorite)	CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide ; Sodium hypochlorite)	Caustic alkali liquid, n.o.s. (Sodium hydroxide ; Sodium hypochlorite)
Transport document description		
UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide ; Sodium hypochlorite), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide ; Sodium hypochlorite), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1719 Caustic alkali liquid, n.o.s. (Sodium hydroxide ; Sodium hypochlorite), 8, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C5
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1l
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	: 
Tunnel code	: E
EAC code	: 2R

Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02

Air transport

PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)
Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)
Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)
Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Labelling of contents	
Component	**%**
phosphonates, chlorine-based bleaching agents, non-ionic surfactants	<5%

Explosives Precursors Regulation (2019/1148)
Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)
Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations
No additional information available

15.2. Chemical safety assessment
No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	**Changed item**	**Change**	**Comments**
	Date first issue	Added	
	Supersedes	Modified	
	Review date	Modified	
	Concentration of the solution used for the pH measurement	Added	
	Display additional SDS EU addresses	Added	
1.1	UFI on SDS 1.1	Added	
1.2	Restrictions on use	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
4.2	Acute effects skin	Modified	
4.2	Acute effects oral route	Modified	
4.2	Acute effects eyes	Modified	
5.3	Protection during firefighting	Modified	
6.1	Emergency procedures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage temperature	Added	
7.2	Maximum storage period	Added	
7.2	Storage conditions	Modified	
9.1	Explosive properties	Added	
9.1	Viscosity, kinematic	Added	
9.1	Vapour pressure	Added	
9.1	Freezing point	Added	
9.1	Flash point	Added	
9.1	Boiling point/Boiling range	Added	
9.1	Viscosity, dynamic	Modified	
9.1	Density	Modified	
9.1	pH	Modified	
13.1	Product/Packaging disposal recommendations	Added	
15.2	Chemical safety assessment	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number

Abbreviations and acronyms:	
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate ana reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH031	Contact with acids liberates toxic gas.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.