

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date first issue: 26/09/2023 Review date: 22/05/2025 Supersedes version of: 26/08/2024 Version: 1.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : MIDA FOAM 2993 GJ
Product code : ES-23-055-T1
Type of product : Detergent, Disinfectant

Product group : Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Chlorinated foam detergent

Use of the substance/mixture : Biocide

Uses advised against

Restrictions on use : The product should not be used for purposes other than those shown above without first

referring to the supplier and obtaining written handling instructions

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Christeyns NV Afrikalaan 182 9000 GENT Belgium

T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44 info@christeyns.be, www.christeyns.com

# 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1

Skin corrosion/irritation, Category 1

Hasardous eye damage/eye irritation, Category 1

Hazardous to the aquatic environment – Acute Hazard, Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05 GHS09

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Danger

Contains : sodium hypochlorite, solution... % Cl active; sodium hydroxide

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

EUH-statements : EUH031 - Contact with acids liberates toxic gas.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-no: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	5 – 10	Met. Corr. 1, H290 Skin Corr. 1A, H314
sodium hypochlorite, solution % Cl active	CAS-no: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	3 – 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH031
Amines, C12-14, alkyldimethyl, N-oxides	CAS-no: 308062-28-4 EC-No.: 931-292-6 REACH-no: 01-2119490061- 47	1 – 3	Acute Tox. 4 (Oral), H302 (ATE=1064 mg/kg bodyweight) Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
potassium hydroxide; caustic potash substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	0.1 – 1	Acute Tox. 4 (Oral), H302 (ATE=333 mg/kg bodyweight) Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
sodium hydroxide	CAS-no: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314
sodium hypochlorite, solution % Cl active	CAS-no: 7681-52-9 EC-No.: 231-668-3 EC Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	(5 ≤ C ≤ 100) EUH031

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
potassium hydroxide; caustic potash	CAS-no: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	$(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

: If you feel unwell, seek medical advice. Never give anything by mouth to an unconscious General advice

person. If you feel unwell, seek medical advice (show the label where possible). Call a

physician immediately.

Inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice. Allow affected person to breathe fresh air. Allow the victim to rest.

Skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.

Eye contact : Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention. Rinse cautiously with water for several minutes. Immediately call a POISON CENTER/doctor.

Call a physician immediately.

Ingestion : Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical

advice/attention. Rinse mouth. Obtain emergency medical attention. Do not induce

vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects skin : Causes severe burns.

Acute effects eyes : Causes serious eye damage. Serious damage to eyes.

Acute effects oral route : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used. Water spray. Dry powder. Foam. Carbon dioxide.

Sand.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

: Do not attempt to take action without suitable protective equipment. Self-contained Protection during firefighting

breathing apparatus. Complete protective clothing

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and **Emergency procedures** 

eyes. Do not breathe vapours.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

: Take up liquid spill into absorbent material. Shovel or sweep up and put in a closed Methods for cleaning up

container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

22/05/2025 (Revision date) EN (English) 3/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original

container. Store locked up. Store in a well-ventilated place. Keep cool.

 $\begin{tabular}{ll} Incompatible materials & : Metals. \\ Storage temperature & : 0 - 35 \ ^{\circ}C \ ^{\circ}C \\ Material(s) to avoid & : Acids. \\ \end{tabular}$ 

Packaging materials : Store in corrosive resistant container with a resistant inner liner.

**7.3. Specific end use(s)**No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

National occupational exposure and biological limit values

sodium hydroxide (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL STEL	2 mg/m³	
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
potassium hydroxide; caustic potash (1310-58-3)		
Ireland - Occupational Exposure Limits		
Local name	Potassium hydroxide	
OEL STEL	2 mg/m³	
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
United Kingdom - Occupational Exposure Limits		
Local name	Potassium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## **DNEL and PNEC**

211-1-4114	
sodium hypochlorite, solution % CI active (7681-52-9)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	3.1 mg/m³
Acute - local effects, inhalation	3.1 mg/m³
Long-term - systemic effects, inhalation	1.55 mg/m³
Long-term - local effects, inhalation	1.55 mg/m³

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium hypochlorite, solution% Cl active (7681-52-9)           DNEL/DMEL (General population)           Acute - iocal effects, inhalation         3.1           Acute - systemic effects, inhalation         0.26 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         1.55 mg/m²           Long-term - iocal effects, inhalation         1.55 mg/m²           PNEC (Water)           PNEC aqua (freshwater)         0.00021 mg/d           PNEC aqua (freshwater)         0.000022 mg/d           PNEC aqua (freshwater)         0.000022 mg/d           PNEC (STP)           PNEC (STP)           PNEC (STP)           DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m²           DNEL/DMEL (General population)           Long-term - local effects, inhalation         1 mg/m²           DNEL/DMEL (Morkers)           Long-term - systemic effects, dermal         11 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         6.2 mg/m²           DNEL/DMEL (General population)           Long-term - systemic effects, inhalation         1.53 mg/m²			
Acute - systemic effects, inhalation 3.1 mg/m³  Long-term - systemic effects, inhalation 1.55 mg/m³  Long-term - systemic effects, inhalation 1.55 mg/m³  NEC (Water)  PNEC (Water)  PNEC Qual (marine water) 0.000042 mg/l  PNEC aqua (intermittent, freshwater) 0.000042 mg/l  PNEC (STP)  PNEC Sewage treatment plant 0.03 mg/l  Sodium hydroxide (1310-73-2)  DNEL/DMEL (Workers)  Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (General population)  Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (Workers)  Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.3 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.3 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.3 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.3 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.3 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 1.53 mg/m³  PNEC aqua (Interwittent, freshwater) 0.0335 mg/l  PNEC aqua (Interwittent, freshwater) 0.0335 mg/l  PNEC aqua (Intermittent, freshwater) 0.0335 mg/l  PNEC aqua (Intermittent, freshwater) 0.0335 mg/l  PNEC sediment (Interwittent, freshwater) 0.0524 mg/kg dwt  PNEC (Sediment)  PNEC (Sediment)  PNEC (Sediment)  PNEC Gediment (Interwittent, freshwater) 0.0524 mg/kg dwt  PNEC (Sediment)  PNEC (Sediment)  PNEC Sediment (Interwittent, freshwater) 0.0524 mg/kg dwt  PNEC (Sediment)  PNEC Sediment (Interwittent, freshwater) 0.0524 mg/kg dwt	sodium hypochlorite, solution % Cl active (7681-52-9)		
Acute - local effects, inhalation 3.1 mg/m³ Long-term - systemic effects, inhalation 1.55 mg/m³ Long-term - systemic effects, inhalation 1.55 mg/m³ PNEC Water) PNEC Qaug (freshwater) 0.00021 mg/l PNEC Qaug (freshwater) 0.00026 mg/l PNEC Qaug (intermittent, freshwater) 0.000042 mg/l PNEC Qaug (intermittent, freshwater) 0.00026 mg/l PNEC Servage treatment plant 0.03 mg/l Sodium hydroxide (1310-73-2) DNEL/DMEL (Workers) Long-term - local effects, inhalation 1 mg/m³ Amines, C12-14, alkyldimethyl, N-oxides (3080-2-28-4) DNEL/DMEL (Workers) Long-term - systemic effects, demal 1 mg/m³ Amines, C12-14, alkyldimethyl, N-oxides (3080-2-28-4) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 1 mg/m³ Amines, C12-14, alkyldimethyl, N-oxides (3080-2-28-4) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 5.2 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 5.1 mg/m³ PNEL/DMEL (General population) Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day Long-term - systemic effects, inhalation 1.53 mg/m³ PNEL/DMEL (General population) Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day Long-term - systemic effects, oral 0.035 mg/l PNEC Qual (freshwater) 0.0335 mg/l PNEC Qual (freshwater) 0.0335 mg/l PNEC Qual (freshwater) 0.0335 mg/l PNEC Qual (intermittent, freshwater) 0.0335 mg/l PNEC Sediment (freshwater) 0.0335 mg/l PNEC Sediment (freshwater) 0.0335 mg/l PNEC Sediment (freshwater) 0.0524 mg/kg dwt PNEC Gediment (freshwater) 0.0524 mg/kg dwt PNEC (Sediment) PNEC Sediment (freshwater) 0.0524 mg/kg dwt	DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation         1.55 mg/m³           Long-term - local effects, inhalation         1.55 mg/m³           PNEC (Water)         0.00021 mg/l           PNEC aqua (freshwater)         0.00024 mg/l           PNEC aqua (intermittent, freshwater)         0.00026 mg/l           PNEC aqua (intermittent, freshwater)         0.00026 mg/l           PNEC Sevage treatment plant         0.03 mg/l           Sodium hydroxide (1310-73-2)           DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m³           DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m³           Amines, C12-14, alkyldimethyl, N-oxides (3080-2-28-4)           DNEL/DMEL (Workers)           DNEL/DMEL (Workers)           Long-term - systemic effects, inhalation         6.2 mg/m³           Long-term - systemic effects, inhalation         6.2 mg/m³           Long-term - systemic effects, inhalation         1.53 mg/m²           Long-term - systemic effects, inhalation         0.0335 mg/l	Acute - systemic effects, inhalation	3.1	
Long-term - systemic effects, inhalation         1.55 mg/m³           PNEC (Water)         0.00021 mg/l           PNEC aqua (freshwater)         0.000022 mg/l           PNEC aqua (marine water)         0.000028 mg/l           PNEC aqua (intermittent, freshwater)         0.00 mg/l           PNEC (STP)         PNEC (STP)           PNEC (STP)         DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m³           DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m³           Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)           DNEL/DMEL (Workers)           Long-term - systemic effects, dermal         11 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         6.2 mg/m³           DNEL/DMEL (General population)           Long-term - systemic effects, inhalation         1.53 mg/m³           DNEL/DMEL (General population)           Long-term - systemic effects, inhalation         1.53 mg/m³           DNEL/DMEL (General population)           Long-term - systemic effects, inhalation         1.55 mg/m³           Long-term - systemic effects, inhalation         0.44 mg/kg bodyweight/day           Long-term - systemic effects, dermal         0.55 mg/m³	Acute - local effects, inhalation	3.1 mg/m³	
	Long-term - systemic effects,oral	0.26 mg/kg bodyweight/day	
PNEC water)         0.00021 mg/l           PNEC aqua (freshwater)         0.000042 mg/l           PNEC aqua (intermittent, freshwater)         0.000026 mg/l           PNEC (STP)	Long-term - systemic effects, inhalation	1.55 mg/m³	
PNEC aqua (freshwater)         0.00021 mg/l           PNEC aqua (marine water)         0.00042 mg/l           PNEC aqua (intermittent, freshwater)         0.00026 mg/l           PNEC SETP)           PNEC Sewage treatment plant         0.03 mg/l           Sodium hydroxide (1310-73-2)           DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m³           DNEL/DMEL (General population)           Long-term - local effects, inhalation         1 mg/m³           Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)           DNEL/DMEL (Workers)           Long-term - systemic effects, dermal         11 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         6.2 mg/m³           DNEL/DMEL (General population)           Long-term - systemic effects, oral         0.44 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         1.53 mg/m³           Long-term - systemic effects, oral         0.44 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         1.53 mg/m³           PNEC (Water)           PNEC (water)         0.00355 mg/l <td col<="" td=""><td>Long-term - local effects, inhalation</td><td>1.55 mg/m³</td></td>	<td>Long-term - local effects, inhalation</td> <td>1.55 mg/m³</td>	Long-term - local effects, inhalation	1.55 mg/m³
PNEC aqua (marine water)         0.00042 mg/l           PNEC aqua (intermittent, freshwater)         0.00026 mg/l           PNEC (STP)           PNEC sewage treatment plant         0.03 mg/l           Sodium hydroxide (1310-73-2)           DNEL/DMEL (Workers)           Long-term - local effects, inhalation         1 mg/m³           DNEL/DMEL (General population)           Long-term - local effects, inhalation         1 mg/m³           Amines, C12-14, alkyldimethyl, N-oxides (3080-2-28-4)           DNEL/DMEL (Workers)           Long-term - systemic effects, dermal         11 mg/kg bodyweight/day           Long-term - systemic effects, inhalation         6.2 mg/m³           DNEL/DMEL (General population)           Long-term - systemic effects, oral         0.44 mg/kg bodyweight/day           Long-term - systemic effects, dermal         1.53 mg/m³           Long-term - systemic effects, dermal         0.5 mg/kg bodyweight/day           PNEC (Water)           O.0335 mg/l           PNEC aqua (freshwater)         0.0335 mg/l           PNEC aqua (intermittent, freshwater)         0.035 mg/l           PNEC (Sediment) <td>PNEC (Water)</td> <td></td>	PNEC (Water)		
PNEC aqua (intermittent, freshwater)  PNEC (STP)  PNEC sewage treatment plant  sodium hydroxide (1310-73-2)  DNEL/DMEL (Workers)  Long-term - local effects, inhalation  I mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dernal  Long-term - systemic effects, inhalation  1 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  1 1 mg/kg bodyweight/day  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation  5.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation  1.53 mg/m³  Long-term - systemic effects, inhalation  1.53 mg/m³  Long-term - systemic effects, dernal  0.0335 mg/l  PNEC aqua (freshwater)  PNEC aqua (freshwater)  0.0335 mg/l  PNEC aqua (intermittent, freshwater)  PNEC aqua (intermittent, freshwater)  PNEC sediment)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (freshwater)  9.524 mg/kg dwt  PNEC sediment (marine water)  PNEC sediment (marine water)  9.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	PNEC aqua (freshwater)	0.00021 mg/l	
PNEC (STP)  PNEC sewage treatment plant 0.03 mg/l  sodium hydroxide (1310-73-2)  DNEL/DMEL (Workers)  Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (General population)  Long-term - local effects, inhalation 1 mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC (Water)  PNEC qaua (freshwater) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC (Sediment)  PNEC (Sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	PNEC aqua (marine water)	0.000042 mg/l	
PNEC sewage treatment plant 0.03 mg/l  sodium hydroxide (1310-73-2)  DNEL/DMEL (Workers)  Long-term - local effects, inhalation 1 mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC qaua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	PNEC aqua (intermittent, freshwater)	0.00026 mg/l	
sodium hydroxide (1310-73-2)  DNEL/DMEL (Workers)  Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (General population)  Long-term - local effects, inhalation 1 mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	PNEC (STP)		
DNEL/DMEL (Workers)  Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (General population)  Long-term - local effects, inhalation 1 mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 5.24 mg/kg dwt  PNEC (Sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	PNEC sewage treatment plant	0.03 mg/l	
Long-term - local effects, inhalation 1 mg/m³  DNEL/DMEL (General population)  Long-term - local effects, inhalation 1 mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.00335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	sodium hydroxide (1310-73-2)		
DNEL/DMEL (General population)  Long-term - local effects, inhalation 1 mg/m³  Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.00335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC Soil 1.02 mg/kg dwt	DNEL/DMEL (Workers)		
Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, oral 1.53 mg/m³  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)	Long-term - local effects, inhalation	1 mg/m³	
Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)  DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (freshwater) 0.524 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC Soil 1.02 mg/kg dwt	DNEL/DMEL (General population)		
DNEL/DMEL (Workers)  Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.00335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC sediment (marine water) 1.02 mg/kg dwt  PNEC (Soil)  PNEC soil 1.02 mg/kg dwt	Long-term - local effects, inhalation	1 mg/m³	
Long-term - systemic effects, dermal 11 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 6.2 mg/m³  DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.00335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC soil 1.02 mg/kg dwt	Amines, C12-14, alkyldimethyl, N-oxides (30	8062-28-4)	
Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Long-term - systemic effects, oral  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  1.53 mg/m³  Long-term - systemic effects, dermal  5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  PNEC aqua (marine water)  PNEC aqua (intermittent, freshwater)  PNEC aqua (intermittent, freshwater)  PNEC (Sediment)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC (Soil)  PNEC (Soil)  1.02 mg/kg dwt	DNEL/DMEL (Workers)		
DNEL/DMEL (General population)  Long-term - systemic effects, oral 0.44 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 1.53 mg/m³  Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.0335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC (Sediment)  PNEC (Sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)  1.02 mg/kg dwt	Long-term - systemic effects, dermal	11 mg/kg bodyweight/day	
Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  1.53 mg/m³  Long-term - systemic effects, dermal  5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  PNEC aqua (marine water)  PNEC aqua (intermittent, freshwater)  PNEC (Sediment)  PNEC (Sediment)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (marine water)  0.524 mg/kg dwt  PNEC (Soil)  PNEC Soil  1.02 mg/kg dwt	Long-term - systemic effects, inhalation	6.2 mg/m³	
Long-term - systemic effects, inhalation  Long-term - systemic effects, dermal  5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  0.0335 mg/l  PNEC aqua (marine water)  0.00335 mg/l  PNEC aqua (intermittent, freshwater)  0.0335 mg/l  PNEC (Sediment)  PNEC (Sediment)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (marine water)  0.524 mg/kg dwt  PNEC (Soil)  PNEC (Soil)  PNEC soil  1.02 mg/kg dwt	DNEL/DMEL (General population)		
Long-term - systemic effects, dermal 5.5 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.00335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC (Sediment)  PNEC (Sediment)  PNEC sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC soil 1.02 mg/kg dwt	Long-term - systemic effects,oral	0.44 mg/kg bodyweight/day	
PNEC (Water)  PNEC aqua (freshwater) 0.0335 mg/l  PNEC aqua (marine water) 0.00335 mg/l  PNEC aqua (intermittent, freshwater) 0.0335 mg/l  PNEC (Sediment)  PNEC (Sediment (freshwater) 5.24 mg/kg dwt  PNEC sediment (marine water) 0.524 mg/kg dwt  PNEC (Soil)  PNEC soil 1.02 mg/kg dwt	Long-term - systemic effects, inhalation	1.53 mg/m³	
PNEC aqua (freshwater)  PNEC aqua (marine water)  O.00335 mg/l  PNEC aqua (intermittent, freshwater)  O.0335 mg/l  PNEC (Sediment)  PNEC (Sediment (freshwater)  S.24 mg/kg dwt  PNEC sediment (marine water)  O.524 mg/kg dwt  PNEC (Soil)  PNEC soil  1.02 mg/kg dwt	Long-term - systemic effects, dermal	5.5 mg/kg bodyweight/day	
PNEC aqua (marine water)  PNEC aqua (intermittent, freshwater)  PNEC (Sediment)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (marine water)  PNEC sediment (marine water)  PNEC sediment (marine water)  1.02 mg/kg dwt	PNEC (Water)		
PNEC aqua (intermittent, freshwater)  PNEC (Sediment)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (marine water)  0.524 mg/kg dwt  PNEC (Soil)  PNEC soil  1.02 mg/kg dwt	PNEC aqua (freshwater)	0.0335 mg/l	
PNEC (Sediment)  PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (marine water)  0.524 mg/kg dwt  PNEC (Soil)  PNEC soil  1.02 mg/kg dwt	PNEC aqua (marine water)	0.00335 mg/l	
PNEC sediment (freshwater)  5.24 mg/kg dwt  PNEC sediment (marine water)  0.524 mg/kg dwt  PNEC (Soil)  PNEC soil  1.02 mg/kg dwt	PNEC aqua (intermittent, freshwater)	0.0335 mg/l	
PNEC sediment (marine water)  0.524 mg/kg dwt  PNEC (Soil)  PNEC soil  1.02 mg/kg dwt	PNEC (Sediment)		
PNEC (Soil) PNEC soil 1.02 mg/kg dwt	PNEC sediment (freshwater)	5.24 mg/kg dwt	
PNEC soil 1.02 mg/kg dwt	PNEC sediment (marine water)	0.524 mg/kg dwt	
	PNEC (Soil)		
PNEC (Oral)	PNEC soil	1.02 mg/kg dwt	
	PNEC (Oral)		
PNEC oral (secondary poisoning) 11.1 mg/kg food	PNEC oral (secondary poisoning)	11.1 mg/kg food	
PNEC (STP)	PNEC (STP)		
PNEC sewage treatment plant 24 mg/l	PNEC sewage treatment plant	24 mg/l	

# 8.2. Exposure controls

# Appropriate engineering controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protection equipment

#### Personal protective equipment:

Face shield. Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):









#### Eye and face protection

#### Eye protection:

Safety glasses with side shields (EN 166)

#### Skin protection

#### Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

#### Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

#### Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of inadequate ventilation wear respiratory protection. Wear appropriate mask

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Light yellow.
Physical state/form : Liquid.
Odour : chlorine.
Odour threshold : Not available
Melting point/range : Not applicable

Freezing point : Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range : Not determined as it is not relevant for the characterization of the product
Flammability : Not determined as it is not relevant for the characterization of the product

No determined as it is not relevant for the sharaste

Non flammable.

Lower explosion limit : Constituents do not contain chemical groups associated with explosivity

Upper explosion limit : Constituents do not contain chemical groups associated with explosivity

Flash point : Not determined as it is not relevant for the characterization of the product

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Only applies to self-reactive substances and mixtures, organic peroxides, and other

substances and mixtures that may decompose.

pH : 12.2 pH solution concentration : 1 %

Viscosity, kinematic : Not available Solubility : Not available

Partition coefficient n-octanol/water (Log Kow) : Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 1.14 g/ml (15%)
Relative density : Not available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

#### 10.4. Conditions to avoid

Direct sunlight. High temperature.

#### 10.5. Incompatible materials

Never mix with other materials. Acids. Metals.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. By contact with acids poisonous chloric gases can be released under heat development.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

sodium hypochlorite, solution % CI active (7681-52-9)	
LD50 oral rat	> 2000 mg/kg
LD50 oral	8910 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg

#### potassium hydroxide; caustic potash (1310-58-3)

LD50 oral 333 mg/kg bodyweight

### Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)

LD50 oral rat 1064 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

pH: 12.2

Additional information : Based on available data, the classification criteria are not met

#### potassium hydroxide; caustic potash (1310-58-3)

pН

Serious eye damage/irritation : Causes serious eye damage

pH: 12.2

#### potassium hydroxide; caustic potash (1310-58-3)

pН

Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

: Based on available data, the classification criteria are not met Additional information

14

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

22/05/2025 (Revision date) EN (English) 7/13

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

#### 11.2. Information on other hazards

#### Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Ecology - water : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

acute)

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

sodium hypochlorite, solution % Cl active (7681-52-9)	
LC50 - Fish [1]	0.06 mg/l (fresh water)
LC50 - Fish [2]	0.032 mg/l (marine water)
EC50 - Crustacea [1]	0.141 mg/l (Daphnia magna - fresh water)
EC50 - Other aquatic organisms [1]	0.026 mg/l (Crassostrea virginica - marine water)
sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea
potassium hydroxide; caustic potash (1310-58-3)	
LC50 - Fish [1]	Western mosquitofish (Gambusia affinis) 80 mg/l. 96 hours
Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
LC50 - Fish [1]	2.67 mg/l
EC50 - Crustacea [1]	3.1 mg/l
ErC50 algae	0.143 mg/l
NOEC chronic algae	≥ 0.0191 mg/l

NOEC chronic algae	≥ 0.0191 mg/l	
12.2. Persistence and degradability		
MIDA FOAM 2993 GJ		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. May cause long-term adverse effects in the environment.	
sodium hypochlorite, solution % Cl active (7681-52-9)		
Persistence and degradability	Strong oxidizing agent, It will react with organic substances present in soil and sediments and degrades rapidly to chloride, Sodium hypochlorite is substantially removed in biological treatment processes.	
sodium hydroxide (1310-73-2)		
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.	
potassium hydroxide; caustic potash (1310-58-3)		
Persistence and degradability	Not rapidly degradable	
Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)		
Persistence and degradability	Rapidly degradable	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

12.3. bloaccumulative potential	
MIDA FOAM 2993 GJ	
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Bioaccumulative potential	Not established.
sodium hypochlorite, solution % Cl active (7681-52-9)	
Log Pow	-3.42
Bioaccumulative potential	Bioaccumulation unlikely.
sodium hydroxide (1310-73-2)	
Log Pow	-3.88
Bioaccumulative potential	No bioaccumulation.
Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
Partition coefficient n-octanol/water (Log Kow)	> 2.7

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

MIDA FOAM 2993 GJ		
	Other information	Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

- : Dispose in a safe manner in accordance with local/national regulations. Dispose of
- contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation. Avoid release to the environment.

# **SECTION 14: Transport information**

ADR	IMDG	IATA		
14.1. UN number or ID number				
UN 3266	UN 3266	UN 3266		
14.2. UN proper shipping name				
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide; sodium hypochlorite, solution % Cl active)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide; sodium hypochlorite, solution % Cl active)	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide; sodium hypochlorite, solution % Cl active)		
Transport document description				
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide; sodium hypochlorite, solution % CI active), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide; sodium hypochlorite, solution % CI active), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide; sodium hypochlorite solution % Cl active), 8, II, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard class(es)				
8	8	8		
**************************************		8		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

### 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 11

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T11

(ADR)

Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN
Tank special provisions (ADR) : TU42
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates

80 3266

Tunnel code : E EAC code : 2X

#### Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

#### Air transport

PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU-Regulations**

# **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
chlorine-based bleaching agents, non-ionic surfactants	<5%

#### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.

This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet. None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Met. Corr. 1	Corrosive to metals, Category 1		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
EUH031	Contact with acids liberates toxic gas		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.