

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 20/01/2025 Supersedes version of: 22/10/2024 Version: 4.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Mida Lufragerm+

UFI : GKR0-09HU-K207-0GR5

Product code : 795
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Biocide

1.3. Details of the supplier of the safety data sheet

Manufacturer Christeyns NV Afrikalaan 182

9000 GENT Belgium

T +32 (0)9/ 223 38 71, F +32 (0)9/ 233 03 44 info@christeyns.be, www.christeyns.com

Distributor

Christeyns UK Ltd. Rutland Street GB Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43

info@christeyns.be, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB WA2 8RE Warrington, Cheshire United Kingdom

T +44 (0)1925 23 46 96

UK-foodinfo@christeyns.com, www.christeyns.com

Distributor

Christeyns Technologies Ireland Ltd

Station Road

F12 YW84 Newtown South Ballindine, Co. Mayo

Ireland

T 00353 94 936 4011

info@christeyns.ie, www.christeyns.com

Distributor

Christeyns Technologies Ltd.

Mazars, Block 3, Harcout Centre, Harcourt Road

IE 2 Dublin Ireland

T +353 1 8146022

1.4. Emergency telephone number

114. Emergency telephone number				
Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Hazardous to the aquatic environment – Acute Hazard,
Category 1

Hazardous to the aquatic environment – Chronic Hazard,
H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

Signal word (CLP) : Danger

Contains : Alcohol ethoxylated; Didecyldimethylammonium Chloride

Hazard statements (CLP) : H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

: P273 - Avoid release to the environment. Precautionary statements (CLP)

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor. P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol ethoxylated	CAS-no: 69011-36-5 Einecs nr: 931-138-8 REACH-no: Exempted	5 – 10	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318
Didecyldimethylammonium Chloride (Active substance (Biocide))	CAS-no: 7173-51-5 Einecs nr: 230-525-2 EG annex nr: 612-131-00-6 REACH-no: 01-2119945987- 15	3 – 5	Acute Tox. 4 (Oral), H302 (ATE=329 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Isopropanol substance with national workplace exposure limit(s) (BE, BG, DE, DK, ES, FI, FR, GB, GR, HU, LT, LV, PT, RO, SE, SI, SK, NO, CH)	CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558- 25	1 – 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium carbonate substance with national workplace exposure limit(s) (RO)	CAS-no: 497-19-8 Einecs nr: 207-838-8 EG annex nr: 011-005-00-2 REACH-no: 01-2119485498-	1 – 3	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures

General advice Inhalation

- : In case of doubt or persistent symptoms, consult always a physician. See Section 11.
- : Take victim to fresh air, in a quiet place and if necessary take medical advice.

Skin contact : Wash off with plenty of water. In case of faintness or symptoms of skin irritation appear,

take medical advice.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : Presents no particular risk when handled in accordance with good occupational hygiene

practice.

Acute effects skin : To our knowledge, this product does not present any particular risk, provided it is handled

in accordance with good occupational hygiene and safety practice.

Acute effects eyes : Causes serious eye damage.

Acute effects oral route : Presents no particular risk when handled in accordance with good occupational hygiene

practice.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Stop leak without risks if possible.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed

container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Never mix with other materials. Never return unused material to original container.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

Storage temperature $: 5 - 25 \,^{\circ}\text{C}$ Material(s) to avoid : None known.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA)	999 mg/m³	
	400 ppm	
/EL STEL (OEL STEL)	1250 mg/m³	
	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

Personal protection equipment

Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166)

Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Respiratory protection

Respiratory protection:

Not necessary with sufficient ventilation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless.

Physical state/form : Liquid.

Odour : Characteristic.

Odour threshold : Not available

Melting point/range : < 0 °C

Freezing point : Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range : Not determined as it is not relevant for the characterization of the product
Flammability : Not determined as it is not relevant for the characterization of the product
Lower explosion limit : Constituents do not contain chemical groups associated with explosivity
Upper explosion limit : Constituents do not contain chemical groups associated with explosivity
Flash point : Not determined as it is not relevant for the characterization of the product

Autoignition temperature : Determination of the auto-ignition temperature is only relevant for pyrophoric liquids,

however the mixture is not a pyrophoric liquid so the test is not required.

Decomposition temperature : Only applies to self-reactive substances and mixtures, organic peroxides, and other

substances and mixtures that may decompose.

pH : $12.4 \pm 0.5 (100\%)$; $10.9 \pm 0.5 (1\%)$

pH solution concentration : 100
Viscosity, kinematic : 24 mm²/s
Solubility : Water: Soluble

Partition coefficient n-octanol/water (Log Kow) : Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 1.02 g/cm³ 20°C
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No decomposition if stored normally.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

20/01/2025 (Revision date) EN (English) 4/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Never mix with other materials.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Sodium carbonate (497-19-8)			
LD50 oral rat	2800 mg/kg bodyweight Animal: rat		
LD50 oral	4090 mg/kg bodyweight		
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:		
LD50 dermal	> 2000 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l Source: SIDS		
Isopropanol (67-63-0)			
LD50 oral rat	5840 mg/kg bodyweight (OECD Guideline 401)		
Alcohol ethoxylated (69011-36-5)			
LD50 oral rat	> 300 (≤ 2000) mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
Didecyldimethylammonium Chloride (7173-51-5)			
LD50 oral	329 mg/kg bodyweight		
LD50 dermal	> 2000 mg/kg		
.C50 Inhalation - Rat (Dust/Mist) 70 mg/l			
Skin corrosion/irritation :	Not classified.		

70 mg/l
Not classified.
pH: 12.4 ± 0,5 (100%); 10,9 ± 0,5 (1%)

Sodium carbonate (497-19-8)		
pH ≈ 11.6 Concentration: (≈)0,1 other:		
Alcohol ethoxylated (69011-36-5)		
nH 5_7		

	рн	5-7
Didecyldimethylammonium Chloride (7173-51-5)		-5)
	pH	6.5 – 8

Serious eye damage/irritation	: Causes serious eye damage.
	11 40 4 0 5 (4000) 40 0 0 5 (40)

ph: 12.4 ± 0,5 (100%); 10,9 ± 0,5 (1%)
Sodium carbonate (497-19-8)

рН	≈ 11.6 Concentration: (≈)0,1 other:
Alcohol ethoxylated (69011-36-5)	
На	5 – 7

Didecyldimethylammonium Chloride (7173-51-5)	
РН	6.5 – 8

Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Isopropanol (67-63-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	

20/01/2025 (Revision date) EN (English) 5/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : Not classified

Isopropanol (67-63-0)		
	STOT-single exposure	May cause drowsiness or dizziness.

Alcohol ethoxylated (69011-36-5)

NOAEL (oral, rat) > 250 mg/kg bodyweight

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Mida Lufra	agerm+
------------	--------

Viscosity, kinematic 24 mm²/s

Didecyldimethylammonium Chloride (7173-51-5)

Viscosity, kinematic ≈ 24.5 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : \

: Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

(Citiotic)			
Sodium carbonate (497-19-8)			
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus		
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.		
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.		
EC50 - Other aquatic organisms [1]	265 mg/l waterflea		
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX		
Alcohol ethoxylated (69011-36-5)			
LC50 - Fish [1]	> 1 mg/l		
EC50 - Crustacea [1]	> 1 mg/l		
ErC50 algae	1 – 10 mg/l		
Didecyldimethylammonium Chloride (7173-51-5)			
LC50 - Fish [1]	0.49 mg/l (Brachydanio rerio) (OECD 203)		

1 – 10 mg/l		
Didecyldimethylammonium Chloride (7173-51-5)		
0.49 mg/l (Brachydanio rerio) (OECD 203)		
≈ 0.49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
0.03 mg/l (Daphnia magna) (OECD 202)		
≈ 0.029 mg/l Test organisms (species): Daphnia magna		
0.057 mg/l Daphnia magna		
0.156 mg/l		
≈ 0.062 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)		
0.06 mg/l (Selenastrum capricornutum) (OECD 201)		
≈ 0.047 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
≈ 0.021 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
0.021 mg/l (Daphnia magna) (OECD 211)		
0.013 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		

12.2. Persistence and degradability

Mida Lufragerm+		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium carbonate (497-19-8)			
Persistence and degradability	Rapidly degradable		
Isopropanol (67-63-0)			
Persistence and degradability	Rapidly degradable		
Biodegradation	84 % OCSE 301 D		
Alcohol ethoxylated (69011-36-5)			
Persistence and degradability Readily biodegradable, according to appropriate OECD test, Not established.			
Didecyldimethylammonium Chloride (7173-51-5)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			

12.3. Bioaccumulative potential			
Mida Lufragerm+			
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.		
Bioaccumulative potential	No bioaccumulation.		
Sodium carbonate (497-19-8)			
Log Pow	-6.19 Source: Quantitative Structure Activity Relation		
Isopropanol (67-63-0)			
Log Pow	0.05		
Alcohol ethoxylated (69011-36-5)			
Bioaccumulative potential	No bioaccumulation. Not established.		
Didecyldimethylammonium Chloride (7173-51-5)			
Log Pow	0.4		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Alcohol ethoxylated (69011-36-5)	
Other information	No other effects known, Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste / unused products : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

European List of Waste (LoW, EC 2000/532) : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

m soots and many Ext, me of many			
ADR	IMDG	IATA	
14.1. UN number or ID number			
UN 3082	UN 3082	UN 3082	
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Didecyldimethylammonium Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Didecyldimethylammonium Chloride)	Environmentally hazardous substance, liquid, n.o.s. (Didecyldimethylammonium Chloride)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
Transport document description		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Didecyldimethylammonium Chloride), 9, III, (-)	SUBSTANCE, LIQUID, N.O.S.	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Didecyldimethylammonium Chloride), 9, III
14.3. Transport hazard class(es)		
9	9	9

14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR)

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV : AT Vehicle for tank carriage Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, : CV13 unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

: TP1, TP29

Tunnel code EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals):

Didecyldimethylammonium chloride (7173-51-5)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
non-ionic surfactants	5-15%	
DIDECYLDIMONIUM CHLORIDE		

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Comments	
	Supersedes	Modified	
	Date first issue	Added	
	Review date	Modified	
3	Composition/information on ingredients Modified		

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
ErC50 (algae)	ErC50 (algae)		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
vPvB	Very Persistent and Very Bioaccumulative		

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.

This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Eye Dam. 1	H318	On basis of test data		
Aquatic Acute 1	H400	Calculation method		
Aquatic Chronic 3	H412	Calculation method		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.