

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 14/10/2024 Supersedes version of: 14/06/2023 Version: 6.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PHAGO'DERM ASEPT
UFI : 27CJ-QHGN-1F11-8XEG

Product code : 1580

Type of product : Biocidal products (e.g. Disinfectants, pest control)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional uses
Use of the substance/mixture : Disinfectant
Liquid Soap

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns France 31 rue de la Maladrie 44120 VERTOU

France

T +33 (0)240 80 27 27, F +33 (0)240 03 09 73 health-security@christeyns.fr, www.christeyns.com

Distributor

Christeyns UK Ltd. Rutland Street GB Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43 info@christeyns.be, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB WA2 8RE Warrington, Cheshire United Kingdom

T +44 (0)1925 23 46 96

UK-foodinfo@christeyns.com, www.christeyns.com

Distributor

Christeyns Technologies Ireland Ltd Station Road F12 YW84 Newtown South Ballindine, Co. Mayo Ireland T 00353 94 936 4011 info@gannonchemicals.ie, Gannonchemicals.ie

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
IE 2 Dublin
Ireland
T +353 1 8146022

1.4. Emergency telephone number

| THE Emergency telephone number | | | | |
|--------------------------------|--|--|--|-----------------------------------|
| Country/Area | Organisation/Company | Address | Emergency number | Comment |
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

: Danger

GHS07

Signal word (CLP)

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P280 - Wear eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | | |
|---|--|--|
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Propan-2-ol (67-63-0), 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3), Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4) | |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------------|---|
| Ethanol (Active substance (Biocide)) substance with national workplace exposure limit(s) (BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH) | CAS-no: 64-17-5 Einecs nr: 200-578-6 EG annex nr: 603-002-00-5 REACH-no: 01-2119457610- 43 | 30 – 60 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 |
| Propan-2-ol substance with national workplace exposure limit(s) (BE, BG, DE, DK, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit | CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558- 25 | ≥1-<3 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts | CAS-no: 147170-44-3 REACH-no: 01-2119489410- 39 | ≥1-<3 | Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| Glycerol substance with national workplace exposure limit(s) (BE, CZ, DE, EE, ES, FI, FR, GB, GR, HR, IE, PL, SI, SK, CH) | CAS-no: 56-81-5 Einecs nr: 200-289-5 REACH-no: 01-2119471987- 18 | ≥ 1 | Not classified |
| Amines, C12-14 (even numbered)- alkyldimethyl, Noxides, | CAS-no: 308062-28-4 Einecs nr: 931-292-6 REACH-no: 01-2119490061- 47 | ≥ 0.1 – < 1 | Acute Tox. 4 (Oral), H302 (ATE=500.00000 mg/kg) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | | |
|---|---|--|--|
| Name | Product identifier | Specific concentration limits (%) | |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts | CAS-no: 147170-44-3 REACH-no: 01-2119489410- 39 | (4 < C ≤ 10) Eye Irrit. 2, H319 (10 < C ≤ 100) Eye Dam. 1, H318 | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

: In all cases of doubt, or when symptoms persist, seek medical attention. General advice

Inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing

Skin contact : Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water

and soap

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

: Rinse mouth with water, do not induce vomiting, call a doctor. Indestion

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : No data available. Acute effects skin : No data available. Acute effects eyes : Causes eye irritation. Acute effects oral route No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

: Combustion products may include the following: carbon oxides (CO, CO2) (carbon Hazardous decomposition products in case of fire

monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.).

5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so.

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water

from entering the environment.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

: Only qualified personnel equipped with suitable protective equipment may intervene. **Emergency procedures**

Evacuate unnecessary personnel. Do not breathe vapours. Avoid contact with skin and

eyes. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures : Prevent from entering sewers, basements and workpits, or any place where its

accumulation can be dangerous. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

: Contain large spillage with sand or earth. For containment

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Flush residue with large amounts of water.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

14/10/2024 (Revision date) EN (English) 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Ground/bond container and receiving equipment. Use explosion-proof equipment.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety procedures. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in original container. Store at ambient temperature. Protect from sunlight.

Storage temperature : 5 - 30 °C

Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Propan-2-ol (67-63-0) | | | |
|--|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOEL STEL | 980 mg/m³ | | |
| | 400 ppm | | |
| Ireland - Occupational Exposure Limits | | | |
| Local name | Isopropyl alcohol [Propan-2-ol] | | |
| OEL TWA | 200 ppm | | |
| OEL STEL | 400 ppm | | |
| Remark | Advisory OELV (Advisory Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible) | | |
| Regulatory reference | Chemical Agents Code of Practice 2024 | | |
| United Kingdom - Occupational Exposure Limits | | | |
| Local name | Propan-2-ol | | |
| WEL TWA (OEL TWA) | 999 mg/m³ | | |
| | 400 ppm | | |
| WEL STEL (OEL STEL) | 1250 mg/m³ | | |
| | 500 ppm | | |
| Regulatory reference EH40/2005 (Fourth edition, 2020). HSE | | | |
| Glycerol (56-81-5) | | | |
| Ireland - Occupational Exposure Limits | | | |
| Local name | Glycerol, mist | | |
| OEL TWA | 10 mg/m³ | | |
| United Kingdom - Occupational Exposure Limits | | | |
| Local name | Glycerol | | |
| WEL TWA (OEL TWA) | 10 mg/m³ mist | | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | | |
| Ethanol (64-17-5) | | | |
| United Kingdom - Occupational Exposure Limits | | | |
| Local name Ethanol WEL TWA (OEL TWA) 1920 mg/m³ | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Ethanol (64-17-5) | |
|----------------------|---------------------------------------|
| | 1000 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

ISO 16321-1. Safety glasses

8.2.2.2. Skin protection

Protective equipment:

Not required

Hand protection:

Not required

8.2.2.3. Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Physical state/form : Gel.
Odour : odourless.
Odour threshold : Not available

Melting point/range : Not determined as it is not relevant for the characterization of the product
Freezing point : Not determined as it is not relevant for the characterization of the product
Softening point : Not determined as it is not relevant for the characterization of the product

Boiling point/Boiling range : 81.4 °C
Flammability : Not applicable

Explosive properties : Heating may cause an explosion.

Oxidising properties : Non oxidizing.

Lower explosion limit : 3.1 vol % Ethanol

Upper explosion limit : 27.7 vol % Ethanol

Flash point : 22 °C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Autoignition temperature : 425 °C Ethanol

Decomposition temperature : Not determined as it is not relevant for the characterization of the product

pH : 6.5 – 7.5
Viscosity, kinematic : 1744.444 mm²/s
Viscosity, dynamic : 1570 mPa·s
Solubility : Water: 100 %
Partition coefficient n-octanol/water (Log Kow) : Not available

Log Pow : Not applicable for preparations

Vapour pressure : 59 hPa Ethanol
Vapour pressure at 50°C : Not available
Density : 0.9 g/cm³
Relative density : 0.895 – 0.905
Relative vapour density at 20°C : 1.59 Ethanol
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 57.79 % (VOC Swiss)

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Propan-2-ol (67-63-0) | | |
|-----------------------|--------------|--|
| LD50 oral rat | 5840 mg/kg | |
| LD50 dermal rabbit | 13900 mg/kg | |
| LC50 Inhalation - Rat | > 25 mg/l/4h | |

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)

| LD50 oral rat | > 5000 mg/kg |
|-----------------|--------------|
| LD50 dermal rat | > 2000 mg/kg |

| Ethanol (64-17-5) |
|-------------------|
| |

I D50 oral rat

LC50 Inhalation - Rat (Vapours) 51 mg/l/4h

1064 mg/kg

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)

Skin corrosion/irritation : Not classified pH: 6.5 – 7.5

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.5 - 7.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

| Propan-2-ol (67- | -63-0) | |
|------------------|--------|--|
|------------------|--------|--|

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

Propan-2-ol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

Ethanol (64-17-5)

NOAEL (oral, rat) 1730 mg/kg bodyweight (90d, female)

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

PHAGO'DERM ASEPT

Viscosity, kinematic 1744.444 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term : N

(chronic)

: Not classified

| Propan-2-ol (67-63-0) | |
|-----------------------|--------------------------------------|
| LC50 - Fish [1] | 9640 mg/l |
| EC50 - Crustacea [1] | 9714 mg/l |
| EC50 72h - Algae [1] | > 100 mg/l (Scenedesmus subspicatus) |

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)

| LC50 - Fish [1] | 1.11 mg/l |
|----------------------|-----------|
| EC50 - Crustacea [1] | 1.9 mg/l |
| NOEC chronic fish | ≤ 1 mg/l |

Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)

| · ···································· | |
|--|------------|
| LC50 - Fish [1] | 2.67 mg/l |
| EC50 - Crustacea [1] | 3.1 mg/l |
| ErC50 algae | 0.143 mg/l |
| NOEC chronic algae | 0.067 mg/l |

12.2. Persistence and degradability

| PHAGO'DERM ASEPT | | |
|---|--|--|
| Persistence and degradability Not rapidly degradable | | |
| Propan-2-ol (67-63-0) | | |
| | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Rapidly degradable | | |
|---|--|--|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3) | | |
| Persistence and degradability Rapidly degradable | | |
| Ethanol (64-17-5) | | |
| Biodegradable. | | |
| Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4) | | |
| Rapidly degradable | | |
| | | |

| PHAGO'DERM ASEPT | |
|------------------|---------------------------------|
| Log Pow | Not applicable for preparations |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII

Propan-2-ol (67-63-0), 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3), Amines, C12-14 (even numbered)- alkyldimethyl, N-oxides, (308062-28-4)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Waste / unused products

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Refer to manufacturer/supplier for information on recovery/recycling.
- : Collect all waste in suitable and labelled containers and dispose according to local legislation.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR | IMDG | IATA |
|---|---|--|
| 14.1. UN number or ID number | | |
| UN 1993 UN 1993 UN 1993 | | UN 1993 |
| 14.2. UN proper shipping name | | |
| FLAMMABLE LIQUID, N.O.S. (Ethanol) | FLAMMABLE LIQUID, N.O.S. (Ethanol) | Flammable liquid, n.o.s. (Ethanol) |
| Transport document description | | |
| UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III, (E) | UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III | UN 1993 Flammable liquid, n.o.s. (Ethanol), 3, |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA |
|--|--|-----------------------------------|
| 14.3. Transport hazard class(es) | | ' |
| 3 | 3 | 3 |
| 3 | 3 | 3 |
| 14.4. Packing group | | |
| III | Ш | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No |
| No supplementary information available | , and the second | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 274, 601
Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC02, R001

Special packing provisions (ADR) : BB4
Mixed packing provisions (ADR) : MP19
Transport category (ADR) : 3
Special provisions for carriage - Operation (ADR) : S2
Tunnel code : E
EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L
Packing instructions (IMDG) : LP01, P001

IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 57.79 % (VOC Swiss)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|--------------|----------|----------|
| Section | Changed item | Change | Comments |
| 9 | Flash point | Modified | |

| Abbreviations a | and acronyms: | |
|-----------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Liq. 2 | Flammable liquids, Category 2 | |
| H225 | Highly flammable liquid and vapour. | |
| H302 | Harmful if swallowed. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H336 | May cause drowsiness or dizziness. | |
| H400 | Very toxic to aquatic life. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|-----------------------|
| Flam. Liq. 2 | H225 | On basis of test data |
| Eye Irrit. 2 | H319 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.