

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Product form : Mixture
 Product name : PHAGO'SPORE
 Product code : 1226
 Type of product : Detergent
 Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses

Main use category : Professional uses
 Use of the substance/mixture : Disinfectant

1.3. Details of the supplier of the safety data sheet
Manufacturer

Christeyns France
 31 rue de la Maladie
 44120 VERTOU
 France
 T +33 (0)240 80 27 27, F +33 (0)240 03 09 73
health-security@christeyns.fr, www.christeyns.com

Distributor

Christeyns UK Ltd.
 Rutland Street
 GB Bradford BD4 7EA
 United Kingdom
 T +44 (0)1274 39 32 86, F +44 (0)1274 30 91 43
info@christeyns.be, www.christeyns.com

Distributor

Christeyns Technologies Ireland Ltd
 Station Road
 F12 YW84 Newtown South Ballindine, Co. Mayo
 Ireland
 T 00353 94 936 4011
info@christeyns.ie, www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd
 2, Cameron Court, Winwick Quay
 GB WA2 8RE Warrington, Cheshire
 United Kingdom
 T +44 (0)1925 23 46 96
UK-foodinfo@christeyns.com, www.christeyns.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Harmful to aquatic life with long lasting effects.

2.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Warning
 Contains : Hydrogen peroxide; Peracetic acid; Acetic acid
 Hazard statements (CLP) : H290 - May be corrosive to metals.
 H412 - Harmful to aquatic life with long lasting effects.

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P102 - Keep out of reach of children.
P234 - Keep only in original packaging.
P273 - Avoid release to the environment.
P390 - Absorb spillage to prevent material damage.
P501 - Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845-22	3 – 5	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Acetic acid substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, LT, LU, LV, MT, PL, PT, RO, SE, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-no: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	1 – 3	Flam. Liq. 3, H226 Skin Corr. 1A, H314
Isopropanol substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PT, RO, SE, SI, SK, IS, NO, MK, CH)	CAS-no: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	$\geq 0.1 - < 1$	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Phosphoric acid substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, ES, FI, FR, GB, GI, GR, HR, IT, LT, LU, LV, MT, NL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-no: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924-24	$\geq 0.01 - < 1$	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314
Peracetic acid substance with national workplace exposure limit(s) (BE, CZ, FI, IE, PL, PT, CH)	CAS-no: 79-21-0 EC-No.: 201-186-8 EC Index-No.: 607-094-00-8 REACH-no: 01-2119531330-56	0.01 – 0.1	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=10)

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Hydrogen peroxide	CAS-no: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845-22	(5 ≤ C < 8) Eye Irrit. 2; H319 (8 ≤ C < 50) Eye Dam. 1; H318 (35 ≤ C < 100) STOT SE 3; H335 (35 ≤ C < 50) Skin Irrit. 2; H315 (50 ≤ C < 70) Skin Corr. 1B; H314 (50 ≤ C < 70) Ox. Liq. 2; H272 (63 ≤ C < 100) Aquatic Chronic 3; H412 (70 ≤ C < 100) Skin Corr. 1A; H314 (70 ≤ C < 100) Ox. Liq. 1; H271
Acetic acid	CAS-no: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	(10 ≤ C < 25) Eye Irrit. 2; H319 (10 ≤ C < 25) Skin Irrit. 2; H315 (25 ≤ C < 90) Skin Corr. 1B; H314 (90 ≤ C ≤ 100) Skin Corr. 1A; H314
Phosphoric acid	CAS-no: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924-24	(10 ≤ C < 25) Skin Irrit. 2; H315 (10 ≤ C < 25) Eye Irrit. 2; H319 (25 ≤ C < 100) Skin Corr. 1B; H314
Peracetic acid	CAS-no: 79-21-0 EC-No.: 201-186-8 EC Index-No.: 607-094-00-8 REACH-no: 01-2119531330-56	(1 ≤ C ≤ 100) STOT SE 3; H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

: In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin contact

: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water.

Eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

: Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation

: No data available.

Acute effects skin

: No data available.

Acute effects eyes

: No data available.

Acute effects oral route

: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: In fire case not far from, any kind of extinguisher can be used. Foam. Carbon dioxide. Water. Water spray.

Unsuitable extinguishing media

: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

: Combustion products may include the following: carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO₂ etc.).

5.3. Advice for firefighters

Firefighting instructions

: Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Use a self-contained breathing apparatus and also a protective suit.

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Protective equipment : Concerning personal protective equipment to use, see section 8.
- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid contact with skin and eyes. Ventilate spillage area. Evacuate unnecessary personnel.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment.
- Emergency procedures : Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth.
- Methods for cleaning up : Wash away remainder with plenty of water. Clear up rapidly by scoop or vacuum.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Emergency eye showers should be available nearby. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in original container. Store at ambient temperature. Protect from sunlight.
- Storage temperature : 5 – 30 °C
- Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Isopropanol (67-63-0)	
Ireland - Occupational Exposure Limits	
Local name	Isopropyl alcohol [Propan-2-ol]
OEL TWA	200 ppm
OEL STEL	400 ppm
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024
Ireland - Biological limit values	
Local name	2-Propanol
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA)	999 mg/m ³

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isopropanol (67-63-0)	
	400 ppm
WEL STEL (OEL STEL)	1250 mg/m ³
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Hydrogen peroxide (7722-84-1)	
Ireland - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OEL TWA	1.5 mg/m ³
	1 ppm
OEL STEL	3 mg/m ³
	2 ppm
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA)	1.4 mg/m ³
	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Peracetic acid (79-21-0)	
Ireland - Occupational Exposure Limits	
Local name	Peracetic acid
OEL STEL	0.4 ppm IFV (Inhlabl Fraction and Vapour)
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
Acetic acid (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Acetic acid
IOEL TWA	25 mg/m ³
	10 ppm
IOEL STEL	50 mg/m ³
	20 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Ireland - Occupational Exposure Limits	
Local name	Acetic acid
OEL TWA	25 mg/m ³
	10 ppm
OEL STEL	37 mg/m ³
	15 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetic acid (64-19-7)	
United Kingdom - Occupational Exposure Limits	
Local name	Acetic acid
WEL TWA (OEL TWA)	25 mg/m ³
	10 ppm
WEL STEL (OEL STEL)	50 mg/m ³
	20 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Phosphoric acid (7664-38-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Orthophosphoric acid
IOEL TWA	1 mg/m ³
IOEL STEL	2 mg/m ³
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	Orthophosphoric acid
WEL TWA (OEL TWA)	1 mg/m ³
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Personal protection equipment

Eye and face protection

Eye protection:

Safety glasses. ISO 16321-1

Skin protection

Protective equipment:

No special protection required

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Time of penetration is to be checked with the glove producer. Nitrile-rubber protective gloves

Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Liquid.
Odour	: mint.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Softening point	: Not determined as it is not relevant for the characterization of the product

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point/Boiling range	: > 100
Flammability	: Not applicable (aqueous liquid)
Explosive properties	: Constituents do not contain chemical groups associated with explosivity.
Lower explosion limit	: Not determined as it is not relevant for the characterization of the product
Upper explosion limit	: Not determined as it is not relevant for the characterization of the product
Flash point	: 97.7 °C
Autoignition temperature	: Not determined as it is not relevant for the characterization of the product
Decomposition temperature	: Not determined as it is not relevant for the characterization of the product
pH	: 2.1 – 2.3
pH solution concentration	: 100 %
Viscosity, kinematic	: 0.98 – 0.995 mm²/s
Viscosity, dynamic	: 1 mPa·s
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Log Pow	: Not applicable for preparations
Vapour pressure	: Without VOC (volatile organic compounds)
Vapour pressure at 50°C	: Not available
Density	: 1.005 – 1.02 g/cm³
Relative density	: 1.01 g/cm³
Relative vapour density at 20°C	: Without VOC (volatile organic compounds)
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg Source: ECHA
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rabbit	12800 mg/kg Source: ECHA
LD50 dermal	12800 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l
Hydrogen peroxide (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	6440 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Peracetic acid (79-21-0)	
LD50 oral rat	85 mg/kg
LD50 dermal rat	56.1 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	11 mg/l/4h
Acetic acid (64-19-7)	
LD50 oral	3310 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	> 40000 mg/l/4h
Phosphoric acid (7664-38-2)	
LD50 oral rat	> 300 mg/kg bodyweight
LD50 dermal	2740 mg/kg bodyweight
LC50 Inhalation - Rat	850 mg/l
Skin corrosion/irritation	: Not classified pH: 2.1 – 2.3
Peracetic acid (79-21-0)	
pH	0.5
Acetic acid (64-19-7)	
pH	2.5
Serious eye damage/irritation	: Not classified pH: 2.1 – 2.3
Peracetic acid (79-21-0)	
pH	0.5
Acetic acid (64-19-7)	
pH	2.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Isopropanol (67-63-0)	
IARC group	3 - Not classifiable
Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Isopropanol (67-63-0)	
NOAEL (animal/male, F1)	500 mg/kg bodyweight rat
NOAEL (animal/female, F1)	500 mg/kg bodyweight rat
STOT-single exposure	: Not classified
Isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
Peracetic acid (79-21-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrogen peroxide (7722-84-1)	
NOAEC (inhalation, rat, vapour, 90 days)	7 mg/l
Phosphoric acid (7664-38-2)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight
Aspiration hazard	: Not classified
PHAGO'SPORE	
Viscosity, kinematic	0.98 – 0.995 mm ² /s
Isopropanol (67-63-0)	
Viscosity, kinematic	2.658 mm ² /s
Peracetic acid (79-21-0)	
Viscosity, kinematic	1.5 mm ² /s (20°C)
Phosphoric acid (7664-38-2)	
Viscosity, kinematic	15.2 mm ² /s @ 20°C

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Isopropanol (67-63-0)	
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus subspicatus
Hydrogen peroxide (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l
EC50 - Crustacea [1]	2.4 mg/l
EC50 72h - Algae [1]	2.62 mg/l
ErC50 algae	1.38 mg/l
NOEC chronic crustacea	0.63 mg/l
Peracetic acid (79-21-0)	
LC50 - Fish [1]	1.1 mg/l
EC50 - Crustacea [1]	0.73 mg/l
ErC50 algae	0.05 mg/l (Selenastrum capricornutum)
NOEC (chronic)	0.0121 mg/l
NOEC chronic algae	(Selenastrum capricornutum)
Acetic acid (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 300 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
ErC50 algae	> 300 mg/l

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phosphoric acid (7664-38-2)	
LC50 - Fish [1]	3 – 3.25 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 - Other aquatic organisms [2]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l
NOEC chronic algae	100 mg/l

12.2. Persistence and degradability

PHAGO'SPORE	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Isopropanol (67-63-0)	
Persistence and degradability	Not rapidly degradable
Biodegradation	95 % 21 days, OECD 301 E

Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradable.

Peracetic acid (79-21-0)	
Persistence and degradability	Biodegradable, OECD 301E method (Ready biodegradability: Modified OECD Screening Test).

Acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable.

Phosphoric acid (7664-38-2)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

PHAGO'SPORE	
Log Pow	Not applicable for preparations
Bioaccumulative potential	No data available.

Isopropanol (67-63-0)	
Log Pow	0.05

Hydrogen peroxide (7722-84-1)	
Log Pow	-1.6
Bioaccumulative potential	No bioaccumulation.

Peracetic acid (79-21-0)	
Partition coefficient n-octanol/water (Log Kow)	≈ -0.26 @ 20 °C
Bioaccumulative potential	Not established.

Acetic acid (64-19-7)	
Log Pow	-0.2
Bioaccumulative potential	No bioaccumulation.

Phosphoric acid (7664-38-2)	
Log Pow	-0.77

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Peracetic acid (79-21-0)	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of in accordance with relevant local regulations.
Waste / unused products	: Do not discharge into drains or the environment.
European List of Waste (LoW, EC 2000/532)	: 20 01 29* - detergents containing dangerous substances
HP Code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
Not regulated for transport		
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

CESIO recommendations	: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Other information, restriction and prohibition regulations	: Not listed on REACH Annex XVII.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (EC 648/2004)

Labelling of contents	
Component	%
anionic surfactants, non-ionic surfactants, Oxygen-based bleaching agents	<5%
perfumes	

Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Peracetic acid

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2		Modified

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate and reliable. This information relates to the specifically named product and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Org. Perox. D	Organic Peroxides, Type D
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

PHAGO'SPORE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Expert judgement
Aquatic Chronic 3	H412	Expert judgement

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.